Blackwater National Wildlife Refuge 2145 Key Wallace Drive Cambridge, Maryland 21613-9535 410/228 2677 410/228 3261 FAX email fw5rw_bwnwr@fws.gov www.fws.gov/refuge/blackwater

Federal Relay Service for the deaf and hard-of-hearing 1 800/877 8339

U.S. Fish & Wildlife Service 1 800/344 WILD http://www.fws.gov

July 2023





U.S. Fish & Wildlife Service

Blackwater

National Wildlife Refuge

Bird Checklist



Introduction



This goose, designed by J.N. "Ding" Darling, has become a symbol of the National Wildlife Refuge System. Blackwater National Wildlife Refuge is one of more than 560 refuges in the National Wildlife Refuge System administered by the U.S. Fish and Wildlife Service. The National Wildlife Refuge System is a network of lands and waters managed specifically for the protection of wildlife and habitat for the continuing benefit of the American people.

Blackwater was established in 1933 and is located on the Eastern Shore of the Chesapeake Bay in Dorchester County, Maryland, about 10 miles south of Cambridge. It serves as an important resting and feeding area for migrating and wintering waterfowl that use the Atlantic Flyway. The Eastern Shore of Maryland has one of the largest populations of nesting bald eagles on the Atlantic coast north of Florida.

Species names are in accordance with the most recent American Ornithologists' Union Checklist as amended. This brochure lists 295 species of birds identified by refuge personnel and ornithologists as occurring on the refuge, plus an additional 30 species of accidentals.

Notes

Location	 	
Date		
Observers		
Weather		

Most birds are migratory and their seasonal occurrence and relative abundance are coded as follows:

7/7 1 7/7

Season

Sþ	spring	March – May
\mathbf{S}	summer	June – August
${f F}$	fall	September – November

F fall September – November W winter December – February

A dot (\bullet) indicates birds known to nest on or near the refuge.

Italics indicate threatened/endangered species.

(CB) indicates species that are most likely to be seen on the refuge property adjacent to the Chesapeake Bay.

Relative Abundance

Relative abundance indicates how frequently you might see a bird in its favored habitat.

\mathbf{a}	abundant	a species which is very numerous
c	common	likely to be seen or heard in suitable habitat

u uncommon present, but not certain to be seen
o occasional seen only a few times during a season
r rare seen only a few times in the past

10 years

The refuge would like to thank volunteer Harry Armistead and the birding community for their help in keeping this list accurate.



Red-winged blackbird

SFWS

	Sp	Su	F	W
Swans - Geese - Ducks				
Tundra Swan	u		c	c
Trumpeter Swan				r
• Mute Swan	0	O	0	0
Snow Goose	u		c	c
Ross's Goose			0	0
Brant (CB)			r	r
• Canada Goose	a	u	a	a
Cackling Goose	0		u	u
Greater White-fronted Goose			r	r
• Wood Duck	c	c	c	О
Green-winged Teal	c		c	u
Eurasian Green-winged Teal	0			О
• American Black Duck	c	u	c	c
• Mallard	a	c	a	a
Northern Pintail	c		c	u
Blue-winged Teal	u	u	u	О
Northern Shoveler	c		u	c
Gadwall	u	u	u	u
Eurasian Wigeon	r		r	r
American Wigeon	u		u	u
Canvasback (CB)	u		u	c
Redhead (CB)	u		u	u
Ring-necked Duck	u		u	c
Greater Scaup (CB)	u		u	u
Lesser Scaup (CB)	c		u	c
Long-tailed Duck (CB)	c		u	c
Black Scoter (CB)	u		u	u
Surf Scoter (CB)	c		c	u
White-winged Scoter (CB)	u		u	u
Common Goldeneye (CB)	u		u	u
Bufflehead	c		u	c
Hooded Merganser	u		u	u
Common Merganser	u		u	c
Red-breasted Merganser (CB)	c		u	u
Ruddy Duck	u		u	c
Gallinaceous Birds				
• Wild Turkey	u	u	u	u
• Northern Bobwhite	u	u	u	u

	Sp	Su	F	W
Loons – Grebes				
Red-throated Loon (CB)	0		0	0
Common Loon	c		c	u
Pied-billed Grebe	u	0	u	u
Horned Grebe (CB)	c		u	u
Red-necked Grebe (CB)	0			
Gannets				
Northern Gannet (CB)	u		0	O
Pelicans				
American White Pelican	u	0	u	u
•Brown Pelican (CB)	u	u	u	
Cormorants				
Double-crested Cormorant	c	u	c	r
Bitterns – Herons – Egrets				
American Bittern	u		u	u
• Least Bittern	u	u	u	
• Great Blue Heron	c	c	c	c
• Great Egret	c	c	c	0
• Snowy Egret	c	c	c	r
• Little Blue Heron	u	u	u	r
• Tricolored Heron	u	u	u	r
• Cattle Egret	u	u	u	
• Green Heron	u	u	u	
• Black-crowned Night-Heron	u	u	u	0
• Yellow-crowned Night-Heron (CB)_	u	u	u	



Great blue heron

	Sp	Su	F	W
Ibises				
White Ibis	r	r	r	
• Glossy Ibis	u	u	u	
New World Vultures				
• Black Vulture	c	c	c	c
• Turkey Vulture	a	a	a	a
Ospreys - Hawks - Eagles				
• Osprey	c	c	c	
• Bald Eagle	c	c	c	c
• Northern Harrier	u	u	c	c
Sharp-shinned Hawk	u		c	u
• Cooper's Hawk	u	r	c	u
Northern Goshawk			r	r
• Red-shouldered Hawk	u	0	u	u
Broad-winged Hawk	u		u	
• Red-tailed Hawk	c	c	c	c
Rough-legged Hawk	u		u	u
Golden Eagle	0		u	u
Falcons				
American Kestrel	u	0	c	u
Merlin	0		u	0
Peregrine Falcon	0	0	0	0
Rails				
Yellow Rail	r		r	



Killdeer

	Sp	Su	F	W
• Black Rail	r	r	r	
• Clapper Rail	u	u	u	u
• King Rail	u	u	u	u
• Virginia Rail	c	c	c	u
Sora	u		u	r
• Common Gallinule	u	u	u	
American Coot	u		u	u
vers – Sandpipers				
Black-bellied Plover	u	0	u	
American Golden-Plover			0	
Semipalmated Plover	c	u	u	
• Killdeer	c	c	c	u
• American Oystercatcher (CB)	u	u	u	
Black-necked Stilt	u	u		
American Avocet	0	0	0	
Greater Yellowlegs	c	c	c	u
Lesser Yellowlegs	c	c	c	u
Solitary Sandpiper	u	u	u	
• Willet	c	c	0	
Spotted Sandpiper	u	u	u	
Upland Sandpiper		r	r	
Whimbrel	0	0	0	
Hudsonian Godwit			r	
Ruddy Turnstone (CB)	u	u	u	
Red Knot	0	0	0	
Sanderling (CB)	u	u	u	0
Semipalmated Sandpiper	c	u	c	
Western Sandpiper		u	u	0
Least Sandpiper	c	u	c	r
White-rumped Sandpiper	u	0	u	
Pectoral Sandpiper	u	u	u	
Dunlin	c	u	c	u
Stilt Sandpiper	0	0	u	C.
Buff-breasted Sandpiper	O	U	r	
D££	\mathbf{r}	r	•	
Short-billed Dowitcher	u	u	u	0
Long-billed Dowitcher	r	r	u	0
American Woodcock	u	u	u	u
Wilson's Phalarope	0	0	r	u
Red-necked Phalarope	r			
Baird's Sandpiper	1	$rac{\mathbf{r}}{\mathbf{r}}$	r r	
Wilson's Snino	0	1		11
Wilson's Snipe	С		u	u



Ruby-throated hummingbird

	Sp	Su	F	W
Jaegers - Gulls - Terns				
• Laughing Gull	a	a	a	r
Bonaparte's Gull	u		u	0
Ring-billed Gull	c	u	c	a
• Herring Gull	c	u	c	c
Lesser Black-backed Gull	0		0	0
• Great Black-backed Gull	u	u	u	u
Caspian Tern	u	u	u	
Royal Tern (CB)	u	u	u	
Sandwich Tern	\mathbf{r}	r		
• Common Tern (CB)	u	u	u	
• Forster's Tern	c	c	a	r
Least Tern	c	u	u	
Black Tern	\mathbf{r}	0	0	
Black Skimmer (CB)	0	0	0	
Doves – Owls – Swifts – Hummingbi	rde			
• Rock Pigeon	u	u	u	u
• Mourning Dove	c	c	a	c
Black-billed Cuckoo	0		0	
• Yellow-billed Cuckoo	u	u	u	
• Barn Owl	u	u	u	u
• Eastern Screech-Owl	c	c	c	c
• Great Horned Owl	c	c	c	c
• Barred Owl	u	u	u	u
Long-eared Owl			r	r
Short-eared Owl	0		u	u
Northern Saw-whet Owl	О		0	0

Snowy Owl Common Nighthawk • Chuck-will's-widow Eastern Whip-poor-will • Chimney Swift	o u	0	
Common Nighthawk • Chuck-will's-widow Eastern Whip-poor-will		0	
• Chuck-will's-widow Eastern Whip-poor-will	u		u
Eastern Whip-poor-will		u	0
• Chimney Swift	0	O	r
Chilling Swift	u	u	u
Ruby-throated Hummingbird	c	c	u
Belted Kingfisher	u	0	u
odpeckers – Falcons – Flycatche	rs		
• Red-headed Woodpecker	u	u	u
• Red-bellied Woodpecker	c	c	c
Yellow-bellied Sapsucker	O		u
Downy Woodpecker	c	c	c
• Hairy Woodpecker	u	u	u
Northern Flicker	c	c	a
• Pileated Woodpecker	u	u	u
ant Flycatchers			
• Eastern Wood-Pewee	c	c	c
Yellow-bellied Flycatcher			r
• Acadian Flycatcher	u	u	u
Willow Flycatcher	0		u
Least Flycatcher	r		u
Olive-sided Flycatcher			r
Alder Flycatcher			r
• Eastern Phoebe	u	0	u
• Great Crested Flycatcher	c	c	u
			C.



Barred owl

SFWS

	Sp	Su	F	W
Western Kingbird			r	
• Eastern Kingbird	c	c	u	
Shrikes – Vireos				
Loggerhead Shrike			r	r
• White-eyed Vireo	u	u	u	
Blue-headed Vireo	u		u	
Yellow-throated Vireo	0	r	r	
Warbling Vireo	r		r	
Philadelphia Vireo			r	
• Red-eyed Vireo	u	u	u	
Jays – Crows – Larks – Swallows				
Blue Jay	c	c	a	c
• American Crow	c	c	c	c
• Fish Crow	u	u	u	u
• Horned Lark	u	u	u	u
Purple Martin	c	c	u	
• Tree Swallow	c	c	a	0
Northern Rough-winged Swallow	u	u	u	
Bank Swallow	u	u	u	
Cliff Swallow	O	O	0	
• Barn Swallow	a	a	u	
Titmice – Nuthatches – Wrens				
• Carolina Chickadee	c	c	c	c
• Tufted Titmouse	c	c	c	c
Red-breasted Nuthatch	u		u	u
• White-breasted Nuthatch	u	u	u	u
Brown-headed Nuthatch	c	c	c	c



Downy woodpecker

	Sp	Su	F	w
Brown Creeper	u		u	u
• Carolina Wren	c	c	c	c
• House Wren	u	u	u	0
Winter Wren	u		u	u
Sedge Wren	r	r	r	r
• Marsh Wren	c	c	u	u
Kinglets – Thrushes – Thrashers				
Golden-crowned Kinglet	u		c	c
Ruby-crowned Kinglet	u		c	u
• Blue-gray Gnatcatcher	u	u	u	r
• Eastern Bluebird	c	c	c	c
Veery	u	0	u	
Gray-cheeked Thrush	r		u	
Bicknell's Thrush	r		r	
Swainson's Thrush	u		u	
Hermit Thrush	u		c	u
• Wood Thrush	u	u	u	
• American Robin	a	c	a	c
• Gray Catbird	u	u	c	u
• Northern Mockingbird	c	c	c	c
• Brown Thrasher	u	u	u	u
Starlings – Waxwings – Pipits				
• European Starling	a	a	a	a
American Pipit	u		u	u
• Cedar Waxwing	u	0	c	u
Longspurs – Snow Bunting				
Lapland Longspur				r
Snow Bunting	0		0	0
Wood-warblers				
Blue-winged Warbler	u	u	u	
Golden-winged Warbler	r		r	
Tennessee Warbler	0		u	
Orange-crowned Warbler			0	r
Nashville Warbler	0		u	r
Northern Parula	u	0	u	
• Yellow Warbler	u	u	u	
Chestnut-sided Warbler	u	0	u	
Magnolia Warbler	u	0	c	

	Sp	Su	F	w
Cape May Warbler	0	r	u	
Black-throated Blue Warbler	u	0	u	
Yellow-rumped Warbler	c		a	c
Black-throated Green Warbler	u	0	u	
Blackburnian Warbler	0	0	u	
• Yellow-throated Warbler	u	r	0	
• Pine Warbler	c	c	c	u
• Prairie Warbler	u	u	u	
Palm Warbler	u		u	O
Bay-breasted Warbler	0	0	u	
Blackpoll Warbler	u		u	
Cerulean Warbler	r			
Black-and-white Warbler	u	0	c	r
American Redstart	u	u	c	
• Prothonotary Warbler	u	u	r	
• Worm-eating Warbler	u	u	0	
• Ovenbird	c	c	c	
Northern Waterthrush	0	O	u	
Louisiana Waterthrush	0	O		
• Kentucky Warbler	u	r	0	
Connecticut Warbler			0	
Mourning Warbler	r		0	
• Common Yellowthroat	a	a	c	0
Hooded Warbler	0	0	0	
Wilson's Warbler	r	0	0	
Canada Warbler	u	0	u	
Chats				
• Yellow-breasted Chat	u	u	0	0
Sparrows & Allies				
• Eastern Towhee	u	u	u	u
American Tree Sparrow	r		r	0
• Chipping Sparrow	c	c	c	0
• Field Sparrow	u	u	c	u
Vesper Sparrow	0		u	0
Savannah Sparrow	c		c	u
• Grasshopper Sparrow	u	u	0	
Henslow's Sparrow	r	r		
• Seaside Sparrow	c	c	u	r

	Sp	Su	F	W
Nelson's Sparrow	r		r	r
Saltmarsh Sparrow	u	u	0	r
Fox Sparrow	u		u	u
Song Sparrow	u	u	a	c
Lincoln's Sparrow			0	r
• Swamp Sparrow	u	u	c	c
White-throated Sparrow	a		a	c
White-crowned Sparrow	0		u	0
Dark-eyed Junco	c		c	c
Tanagers – Cardinals – Grosbeaks				
Summer Tanager	c	c	0	
• Scarlet Tanager	u	0	u	
• Northern Cardinal	c	c	c	c
Rose-breasted Grosbeak	u	0	u	
• Blue Grosbeak	c	c	u	
• Indigo Bunting	c	c	u	
• Dickcissel	r	r	0	
Blackbirds – Orioles Bobolink	u	u	c	
- Red-winged Blackbird	a	a	a	a
• Eastern Meadowlark	u	u	c	c
Rusty Blackbird	u	и	u	0
Brewer's Blackbird	r		и	r
Boat-tailed Grackle (CB)	u	u	u	u
• Common Grackle	a	a	a	a
Brown-headed Cowbird	c	С	c	u
• Orchard Oriole	c	c	0	u
			J	



Indigo bunting

	Sp	Su	F	W
Baltimore Oriole	u	u	u	
Yellow-headed Blackbird			r	r
Finches				
Purple Finch	u		u	u
- House Finch	u	О	u	u
Red Crossbill	О		0	0
White-winged Crossbill				r
Common Redpoll				r
Pine Siskin	O		u	u
• American Goldfinch	c	c	c	c
Evening Grosbeak	r		r	r
Old World Sparrow				
• House Sparrow	c	c	c	c

Accidentals

Very rare species only recorded one or twice on the refuge.

Fulvous Whistling-Duck American Swallow-tailed Kite Marbled Godwit Roseate Tern Ash-throated Flycatcher Bachman's Sparrow Bullock's Oriole Gull-billed Tern Great Cormorant (CB) Barnacle Goose Black-bellied Whistling Duck Tropical Kingbird Mississippi Kite Red Phalarope Clay-colored Sparrow

Cinnamon Teal Swainson's Hawk Gyrfalcon Sandhill Crane Black-headed Gull Eurasian Collared-Dove Scissor-tailed Flycatcher Northern Shrike Cave Swallow Lark Sparrow White-faced Ibis Anhinga Northern Lapwing Harlequin Duck

Red-cockaded Woodpecker (Extirpated)



Lesser snow geese



Northern pintails

Birding Ethics

When visiting public or private lands, it is important that you practice and promote ethical behavior while viewing and photographing wildlife. Although you may not think your individual actions are harmful to wildlife, the cumulative effect of individual actions can jeopardize wildlife's ability to survive.

- Do not disturb nesting, feeding, or resting birds and other wildlife.
- When photographing birds, do not "push" too close or "linger" too long.
- Do not use recorded calls or make other alarming noises on the refuge.
- Do not feed wildlife on the refuge.
- Do not litter. Many birds and other wildlife die after becoming entangled in fishing lines, 6-pack rings and other trash, or when they mistake garbage, especially plastic, for food.