




Beauty in Flight: The Birds of Carlsbad Caverns

While Carlsbad Caverns National Park (NP) contains one of the largest, deepest, and most ornate caves in North America, beauty and wonder exist both above and below ground. Birds are an important part of the above ground ecosystem at Carlsbad, although at least one species, the Cave Swallow, nests in the park's iconic caves.

Carlsbad Caverns NP contains a great diversity of birds, with 368 species having been documented. This large number of species includes birds that are year-round residents, neotropical migrants that nest in the park or pass through on the way to northern breeding grounds, winter residents, and occasional or accidental species that wander in and may stay awhile. With the diversity of birds found in the park and the presence of species such as Bell's Vireo, Gray Vireo, and Varied Bunting, Carlsbad Caverns is one of the best national parks in the country for birding.

Carlsbad Caverns NP is located in the northern portion of the Chihuahuan Desert, the most biologically diverse desert in the Western Hemisphere. The vegetation in most of the park is characterized by desert shrubs including small



The best places to go birding in Carlsbad Caverns National Park include Walnut Canyon Drive, Slaughter Canyon, and especially, Rattlesnake Springs.

junipers and oaks, and especially by an array of cacti along with other succulents like lecheguilla, sotol, and ocotillo. Look for wrens, doves, Northern Mockingbird, sparrows, and kingbirds in Carlsbad Caverns's shrublands and grasslands.

Elevations in the park range up to more than 6,300 feet. Ponderosa



The Black-throated Sparrow is commonly seen near the cave entrance area year-round. (NPS PHOTO / DANIEL LEIFHEIT)

pine and pinyon-juniper woodlands are found in the highest elevations, with woodland bird species such as woodpeckers, Woodhouse-Scrub-Jays, Say's Phoebes, and Great Horned Owls present in these habitats.

One of the most important parts of the park for birds is Rattlesnake Springs, an isolated unit that hosts a large number of bird species. Rattlesnake Springs is a unique ecosystem that functions as a true desert oasis, with forested wetlands dominated by cottonwood and willow, and grasses and sedges along the stream.



Pyrrhuloxia (NPS PHOTO / DANIEL LEIFHEIT)

This vegetation provides important nesting habitat, especially for neotropical migratory birds. A large number of species breed at this site including Summer Tanager, Varied Bunting, Painted Bunting, Eastern Bluebird, Yellow-billed Cuckoo, and Orchard Oriole. Rattlesnake Springs also serves as an important stopover for occasional and accidental migrant species, including Least Flycatcher, Great Crested Flycatcher, Great Kiskadee, Carolina Wren, Hooded Warbler, Red-eyed Vireo, Blackburnian Warbler, Prothonotary Warbler, Black-throated Green Warbler, and Baltimore Oriole.

Rattlesnake Springs has been designated by the National Audubon Society as an Important Bird Area. Important Bird Areas support species of

conservation concern (e.g. threatened and endangered species), range-restricted species (species vulnerable because they are not widely distributed), species that are vulnerable because their populations are concentrated in one general habitat type, or species or groups of similar species (such as waterfowl or shorebirds) that are vulnerable because they occur at high densities due to their congregatory behavior.

The Southwestern Willow Flycatcher, a



Bell's Vireo (NPS PHOTO / COOKIE BALLOU)

bird listed as Endangered, both federally and by the state, breeds at Rattlesnake Springs. The area's dense vegetation also provides an important breeding site in New Mexico for Bell's Vireo. Other rare birds to nest at Rattlesnake Springs include Indigo Bunting and Phainopepla. Gray Hawks have fledged young at the site in some recent years. Common Black Hawk, Neotropic Cormorant, Bald

Eagle, Peregrine Falcon, Broad-billed Hummingbird, Lucifer Hummingbird, and

Baird's Sparrow have also been observed at Rattlesnake Springs.

Birding Ethics

Be mindful by following ethical birding guidelines that protect birds and enhance everyone's birding experience:

- » Keep your distance and avoid disturbing bird nesting sites; move away from alarmed pairs.
- » Report bird observations to park rangers at the visitor center. This helps other birders and supports research.
- » Do not use broadcasting calls to attract birds; calls interfere with nesting activity and may frustrate other birders.
- » Report rare species nesting sites to appropriate park officials only. Use caution when posting bird sightings over social media.
- » Do not set up bird feeding stations or feed birds in national parks.

Checklist Key

This checklist provides information on the abundance for each season for bird species found in Carlsbad Caverns NP.

Abundance

Abundance information is for suitable habitat.

- C Common: May be seen daily but not in large numbers
- **U Uncommon:** Likely to be seen monthly; may be locally common
- R Rare: Present, but usually seen only a few times each year
- O Occasional: Seen in the park at least once every few years, but not necessarily every year
- Ac Accidental: Seen no more than a few times; birds that have strayed out of their normal range/habitat

Season

- Summer June-July
- Fall August-November
- Winter December-March
- **Spring** March–May

Acknowledgments

Steve West compiled this bird checklist which is supported by evidence collected during his many years as a researcher, educator, and volunteer with Carlsbad Caverns NP.

All bird identification photos, unless otherwise credited, were generously provided courtesy of Robert Shantz (rshantz.com).

This bird checklist is a collaboration between the Chihuahuan Desert Inventory and Monitoring Network and Carlsbad Caverns NP. The <u>Chihuahuan Desert Network</u> is one of 32 National Park Service inventory and monitoring networks that assess the condition of park ecosystems and develop a stronger scientific basis for stewardship of natural resources.

Also, thanks to Missy Powell, Henry Whitenack, Rod Horrocks, Daniel Leifheit, Kathleen Slocum, and Allyson Mathis, Northern Rockies Conservation Cooperative.

These data are supported by the Chihuahuan Desert Inventory and Monitoring Network annual landbird survey data collected in the park during breeding season from 2010-2016, as well as NPSpecies data. The list is arranged by family and uses common names following the American Ornithologists' Union's Checklist of North American Birds 7th edition and its supplements through 2020.

Mallard Redhead Ring-necked Duck Lesser Scaup Bufflehead

Checklist

Waterfowl (Anatidae)

√	Common Name	Spring	Summer	Fall	Winter
	Black–bellied Whistling–Duck	Ac	-	-	-
	Snow Goose	R	-	0	R
	Ross's Goose	-	-	-	Ac
	Canada Goose	-	-	_	0
	Tundra Swan	Ac	-	_	-
	Wood Duck	U	Ac	U	U
	Blue-winged Teal	C	-	C	R
	Cinnamon Teal	U	Ac	U	0
	Northern Shoveler	U	0	U	C
	Gadwall	U	-	U	C
	American Wigeon	U	-	U	U
	Mallard	U	R	U	U
	Northern Pintail	U	0	U	U
	Green–winged Teal	C	0	C	C
	Canvasback	0	-	_	R
	Redhead	U	-	R	U
	Ring-necked Duck	C	-	U	C
	Lesser Scaup	R	-	R	U
	Bufflehead	R	-	R	U
	Common Goldeneye	0	-	0	R
	Hooded Merganser	Ac	-	Ac	0
	Common Merganser	-	-	-	0
	Ruddy Duck	R	-	R	U

BIRD IDENTIFICATIONPHOTOS COURTESY OF ROBERT SHANTZ UNLESS OTHERWISE CREDITED

New World Quail (Odontophoridae)

√	Common Name	Spring	Summer	Fall	Winter
	Scaled Quail	C	C	C	C
	Montezuma Ouail	_	0	0	_

Partridges, Grouse, Turkeys, and Old World Quail (Phasianidae)

√	Common Name	Spring	Summer	Fall	Winter
	Wild Turkey	C	C	C	C
	Lesser Prairie-Chicken	-	-	Ac	_

Grebes (Podicipedidae)

√	Common Name	Spring	Summer	Fall	Winter
	Pied-billed Grebe	U	-	U	U
	Eared Grebe	Ac	-	Ac	Ac
	Western Grebe	_	-	_	Ac

Pigeons and Doves (Columbidae)


√	Common Name	Spring	Summer	Fall	Winter
	Rock Pigeon	Ac	-	_	_
	Band-tailed Pigeon	R	R	R	-
	Eurasian Collared-Dove	C	C	C	C
	Inca Dove	0	0	-	-
	Common Ground Dove	0	0	0	0
	Ruddy Ground Dove	-	Ac	_	_
	White-winged Dove	C	C	C	C
	Mourning Dove	C	C	C	C

Cuckoos, Roadrunners and Anis (Cuculidae)

√	Common Name	Spring	Summer	Fall	Winter
	Groove-billed Ani	-	Ac	Ac	-
	Greater Roadrunner	C	C	C	C
	Yellow-billed Cuckoo	U	C	U	-
	Black-billed Cuckoo	Ac	-	Ac	_



Scaled Quail



Wild Turkey



Common Ground-Dove



White-winged Dove



Greater Roadrunner



Lesser Nighthawk



White-throated Swift



Nighthawks (Caprimulgidae)

√	Common Name	Spring	Summer	Fall	Winter
	Lesser Nighthawk	U	U	U	Ac
	Common Nighthawk	U	U	U	-
	Common Poorwill	C	C	C	R
	Mexican Whip-poor-will	Ac	-	Ac	-

Swifts (Apodidae)

√	Common Name	Spring	Summer	Fall	Winter
	Chimney Swift	0	-	0	-
	White-throated Swift	U	U	U	R

Hummingbirds (Trochilidae)

√	Common Name	Spring	Summer	Fall	Winter
	Rivoli's Hummingbird	-	0	-	-
	Blue–throated Mountain–gem	-	0	-	-
	Lucifer Hummingbird	-	-	Ac	-
	Ruby–throated Hummingbird	-	-	0	-
	Black–chinned Hummingbird	С	С	C	-
	Anna's Hummingbird	_	-	_	Ac
	Broad–billed Hummingbird	Ac	-	-	-
	Calliope Hummingbird	_	-	0	-
	Rufous Hummingbird	_	U	C	-
	Broad–tailed Hummingbird	U	-	U	-

Rails, Gallinules, and Coots (Rallidae)

√	Common Name	Spring	Summer	Fall	Winter
	Virginia Rail	U	-	U	U
	Sora	U	-	U	U
	Common Gallinule	0	-	0	0
	American Coot	С	C	C	С

Cranes (Gruidae)

√	Common Name	Spring	Summer	Fall	Winter
	Sandhill Crane	U	_	U	U

Avocets and Stilts (Recurvirostridae)

√	Common Name	Spring	Summer	Fall	Winter
	Black-necked Stilt	0	-	0	Ac
	American Avocet	0	-	0	-

Plovers (Charadriidae)

٧	Common Name	Spring	Summer	Fall	Winter
	Killdeer	С	U	С	С

Sandpipers, Phalaropes, and Allies (Scolopacidae)

√	Common Name	Spring	Summer	Fall	Winter
	Upland Sandpiper	-	-	U	-
	Long-billed Curlew	R	-	R	_
	Baird's Sandpiper	0	-	0	_
	Least Sandpiper	U	-	U	0
	Semipalmated Sandpiper	Ac	-	_	_
	Western Sandpiper	R	-	R	-
	Long-billed Dowitcher	0	-	0	_
	American Woodcock	-	_	0	Ac
	Wilson's Snipe	U	Ac	U	C
	Spotted Sandpiper	U	Ac	U	_
	Solitary Sandpiper	0	-	0	_



Sandhill Crane

The distinctive bugling calls of migrating Sandhill Cranes alert birders to their passage overhead. Commonly heard in the spring, Sandhill Cranes vocalize during flight to communicate among flock members. These noisy, gregarious birds travel from their wintering grounds in the southwestern United States and northern Mexico to breeding areas in Canada.



American Avocet



Killdeer



Black Tern



American White Pelican



Great Blue Heron



Snowy Egret

√	Common Name	Spring	Summer	Fall	Winter
	Lesser Yellowlegs	0	_	0	_
	Willet	0	-	-	_
	Greater Yellowlegs	R	-	R	_
	Wilson's Phalarope	0	-	0	_
	Red-necked Phalarope	_	_	Ac	_

Gulls, Terns, and Skimmers (Laridae)

√ Common Name	Spring	Summer	Fall	Winter
Franklin's Gull	Ac	-	-	-
Ring-billed Gull	-	-	-	Ac
Black Tern	0	-	0	-
Forster's Tern	Ac	_	_	_

Cormorants (Phalacrocoracidae)

√	Common Name	Spring	Summer	Fall	Winter
	Double-crested Cormorant	_	-	0	-
	Neotropic Cormorant	_	0	_	_

Pelicans (Pelecanidae)

√	Common Name	Spring	Summer	Fall	Winter
	American White Pelican	0	_	0	_

Bitterns, Herons, and Allies (Ardeidae)

1	Common Name	Spring	Summer	Fall	Winter
	American Bittern	0	-	0	-
	Great Blue Heron	U	R	U	U
	Great Egret	R	-	R	-
	Snowy Egret	U	-	U	-
	Tricolored Heron	Ac	Ac	_	-
	Cattle Egret	0	-	0	-
	Green Heron	U	R	U	-

√	Common Name	Spring	Summer	Fall	Winter
	Black–crowned Night– Heron	R	0	R	-
	Yellow-crowned Night- Heron	_	Ac	Ac	-

Ibises and Spoonbills (Threskiornithidae)

√	Common Name	Spring	Summer	Fall	Winter
	White Ibis	Ac	-	-	-
	White-faced Ibis	U	_	U	_

New World Vultures (Cathartidae)

√	Common Name	Spring	Summer	Fall	Winter
	Black Vulture	Ac	-	-	_
	Turkey Vulture	C	C	C	Ac

Ospreys (Pandionidae)

√	Common Name	Spring	Summer	Fall	Winter
	Osprev	R	_	R	_

Hawks, Kites, Eagles and Allies (Accipitridae)

√	Common Name	Spring	Summer	Fall	Winter
	White-tailed Kite	Ac	-	-	Ac
	Golden Eagle	U	U	U	U
	Northern Harrier	U	U	U	C
	Sharp-shinned Hawk	U	-	U	U
	Cooper's Hawk	U	U	U	C
	Northern Goshawk	-	-	Ac	Ac
	Bald Eagle	-	-	_	Ac
	Mississippi Kite	R	-	R	-
	Common Black Hawk	0	-	0	_
	Harris's Hawk	0	0	0	0
	Gray Hawk	0	0	0	_



Turkey Vulture



Osprey



Northern Harrier



Gray Hawk



Zone-tailed Hawk



Red-tailed Hawk



Barn Owl



Great Horned Owl



Belted Kingfisher

√	Common Name	Spring	Summer	Fall	Winter
	Red-shouldered Hawk	Ac	_	Ac	Ac
	Broad-winged Hawk	0	-	0	-
	Short-tailed Hawk	Ac	-	-	-
	Swainson's Hawk	U	U	C	-
	Zone-tailed Hawk	R	-	R	-
	Red-tailed Hawk	C	U	C	C
	Rough–legged Hawk	0	-	-	0
	Ferruginous Hawk	U	Ac	U	U

Barn Owls (Tytonidae)

√	Common Name	Spring	Summer	Fall	Winter
	Barn Owl	U	U	U	U

Typical Owls (Strigidae)

√	Common Name	Spring	Summer	Fall	Winter
	Flammulated Owl	0	-	0	-
	Western Screech-Owl	U	U	U	U
	Great Horned Owl	U	U	U	U
	Northern Pygmy–Owl	Ac	-	-	-
	Elf Owl	-	R	_	-
	Burrowing Owl	0	0	0	Ac
	Spotted Owl	U	U	U	U
	Long–eared Owl	0	-	0	0
	Short-eared Owl	Ac	-	-	R

Kingfishers (Alcedinidae)

√	Common Name	Spring	Summer	Fall	Winter
	Belted Kingfisher	U	-	U	C

Woodpeckers and Allies (Picidae)

√	Common Name	Spring	Summer	Fall	Winter
	Lewis's Woodpecker	-	-	-	0
	Red-headed Woodpecker	0	-	_	-
	Acorn Woodpecker	U	U	U	U
	Red-bellied Woodpecker	0	-	0	0
	Williamson's Sapsucker	-	-	0	0
	Yellow-bellied Sapsucker	U	-	U	U
	Red-naped Sapsucker	U	-	C	C
	Downy Woodpecker	0	-	0	0
	Ladder–backed Woodpecker	C	С	C	С
	Hairy Woodpecker	R	0	R	R
	Northern Flicker	C	0	C	C

Falcons (Falconidae)

√	Common Name	Spring	Summer	Fall	Winter
	American Kestrel	U	U	U	C
	Merlin	-	-	-	0
	Peregrine Falcon	R	R	U	R
	Prairie Falcon	U	0	U	U

Tyrant Flycatchers (Tyrannidae)

√	Common Name	Spring	Summer	Fall	Winter
	Dusky-capped Flycatcher	Ac	-	-	-
	Ash-throated Flycatcher	C	C	U	-
	Great Crested Flycatcher	0	-	0	-
	Great Kiskadee	Ac	Ac	Ac	Ac
	Piratic Flycatcher	-	-	Ac	-
	Tropical Kingbird	-	Ac	-	-
	Cassin's Kingbird	C	C	C	-
	Thick-billed Kingbird	Ac	_	_	-
	Tropical Kingbird Cassin's Kingbird	•		-	- - -





Western Kingbird



Black Phoebe



Say's Phoebe



Vermilion Flycatcher



Loggerhead Shrike

√	Common Name	Spring	Summer	Fall	Winter
	Western Kingbird	C	C	C	-
	Eastern Kingbird	0	Ac	0	-
	Scissor-tailed Flycatcher	U	0	U	-
	Olive-sided Flycatcher	U	Ac	U	-
	Greater Pewee	Ac	-	-	-
	Western Wood-Pewee	C	0	C	-
	Eastern Wood-Pewee	Ac	Ac	Ac	-
	Yellow-bellied Flycatcher	-	-	Ac	-
	Willow Flycatcher	U	U	U	-
	Least Flycatcher	Ac	-	Ac	-
	Hammond's Flycatcher	U	-	U	Ac
	Gray Flycatcher	U	-	U	Ac
	Dusky Flycatcher	U	-	U	-
	Cordilleran Flycatcher	U	-	U	Ac
	Black Phoebe	C	C	C	C
	Eastern Phoebe	U	-	U	U
	Say's Phoebe	C	C	C	C
	Vermilion Flycatcher	C	C	C	R

Shrikes (Laniidae)

√	Common Name	Spring	Summer	Fall	Winter
	Loggerhead Shrike	C	U	C	C

Vireos (Vireonidae)

√	Common Name	Spring	Summer	Fall	Winter
	Black-capped Vireo	Ac	Ac	_	-
	White-eyed Vireo	0	Ac	0	-
	Bell's Vireo	C	C	U	-
	Gray Vireo	C	C	-	-
	Hutton's Vireo	_	_	_	Ac

_√	Common Name	Spring	Summer	Fall	Winter
	Yellow-throated Vireo	0	Ac	0	-
	Cassin's Vireo	0	-	0	-
	Blue-headed Vireo	0	-	0	-
	Plumbeous Vireo	C	C	U	-
	Philadelphia Vireo	Ac	-	Ac	-
	Warbling Vireo	U	-	U	_
	Red-eyed Vireo	0	Ac	0	-
	Yellow-green Vireo	-	Ac	-	-
Jay	s and Ravens (Corvidae)				
√	Common Name	Spring	Summer	Fall	Winter
	Pinyon Jay	_	-	0	0
	Steller's Jay	0	-	0	0
	Blue Jay	0	-	0	-
	Woodhouse's Scrub–Jay	C	R	C	C
	Clark's Nutcracker	-	Ac	-	Ac
	Black-billed Magpie	Ac	-	_	-
	American Crow	_	-	_	0
	Chihuahuan Raven	U	0	U	U
	Common Raven	U	-	R	U
Larl	ks (Alaudidae)				
√	Common Name	Spring	Summer	Fall	Winter
	Horned Lark	U	U	U	U
Swa	allows (Hirundinidae)				
√	Common Name	Spring	Summer	Fall	Winter
	Bank Swallow	R	_	R	_
	Tree Swallow	U	-	U	-
	Violet–green Swallow	U	U	U	_
	Common Name Bank Swallow	R	Summer _ _	R	Winte _ _
	Violet–green Swallow	U	U	U	-

Northern Rough-winged Swallow



Plumbeous Vireo



Steller's Jay



Chihuahuan Raven



American Crow



Horned Lark



Cave Swallow

Visiting Carlsbad Caverns NP is a surefire way to see Cave Swallows. They nest inside the main cavern, making it easy to watch them fly in and out. When they enter a cave, they float down into it and fly back out in a spiral. They spend most of their time aloft, but head to the ground to collect tiny balls of mud or bat quano to build nests.



Red-breasted Nuthatch

√ Common Name	Spring	Summer	Fall	Winte
Purple Martin	_	0	0	_
Barn Swallow	C	C	U	-
Cliff Swallow	U	U	U	-
Cave Swallow	C	C	C	_

Chickadees and Titmice (Paridae)

√	Common Name	Spring	Summer	Fall	Winter
	Mountain Chickadee	U	U	U	U
	Juniper Titmouse	R	R	R	R

Verdins (Remizidae)

√	Common Name	Spring	Summer	Fall	Winter
	Verdin	U	U	U	U

Bushtits (Aegithalidae)

√	Common Name	Spring	Summer	Fall	Winter
	Bushtit	U	U	U	U

Nuthatches (Sittidae)


√	Common Name	Spring	Summer	Fall	Winter
	Red-breasted Nuthatch	U	-	U	U
	White-breasted Nuthatch	U	R	U	U
	Pygmy Nuthatch	0	0	0	0

Treecreepers (Certhiidae)

√	Common Name	Spring	Summer	Fall	Winter
	Brown Creeper	0	_	R	R

Wrens (Troglodytidae)

√	Common Name	Spring	Summer	Fall	Winter
	Rock Wren	C	С	С	C
	Canyon Wren	C	C	C	C
	House Wren	C	-	C	U
	Pacific Wren	R	-	R	R
	Winter Wren	U	-	U	U
	Sedge Wren	-	-	_	Ac
	Marsh Wren	U	-	U	U
	Carolina Wren	0	0	0	0
	Bewick's Wren	C	C	C	C
	Cactus Wren	C	C	C	C



√	Common Name	Spring	Summer	Fall	Winter
	Blue-gray Gnatcatcher	R	R	R	R
	Black-tailed Gnatcatcher	0	0	0	0

Dippers (Cinclidae)

√	Common Name	Spring	Summer	Fall	Winter
	American Dipper	_	-	Ac	_

Kinglets (Regulidae)

√	Common Name	Spring	Summer	Fall	Winter
	Golden-crowned Kinglet	0	-	0	0
	Ruby-crowned Kinglet	U	-	U	C

Thrushes (Turdidae)

√	Common Name	Spring	Summer	Fall	Winter
	Eastern Bluebird	U	U	U	U
	Western Bluebird	U	U	U	U
	Mountain Bluebird	U	-	U	U
	Townsend's Solitaire	R	-	R	U



Rock Wren



Canyon Wren



Cactus Wren



Ruby-crowned Kinglet



Eastern Bluebird




American Robin



Gray Catbird



Northern Mockingbird





Phainopepla

√	Common Name	Spring	Summer	Fall	Winter
	Swainson's Thrush	U	-	U	-
	Hermit Thrush	U	-	U	C
	Wood Thrush	Ac	-	_	-
	American Robin	U	-	U	C
	Varied Thrush	_	_	Ac	_

Mockingbirds and Thrashers (Mimidae)

√	Common Name	Spring	Summer	Fall	Winter
	Gray Catbird	U	-	U	0
	Curve-billed Thrasher	U	U	U	U
	Brown Thrasher	U	R	U	U
	Long-billed Thrasher	Ac	-	-	-
	Crissal Thrasher	U	U	U	U
	Sage Thrasher	U	-	C	U
	Northern Mockingbird	C	C	C	C

Starlings (Sturnidae)

√	Common Name	Spring	Summer	Fall	Winter
	European Starling	U	0	U	U

Waxwings (Bombycillidae)

√	Common Name	Spring	Summer	Fall	Winter
	Cedar Waxwing	U	_	U	U

Silky-flycatchers (Ptiliogonatidae)

-√	Common Name	Spring	Summer	Fall	Winter
	Phainopepla	U	U	U	R

Old World Sparrows (Passeridae)

√	Common Name	Spring	Summer	Fall	Winter
	House Sparrow	R	R	R	R

Pipits (Motacillidae)

√	Common Name	Spring	Summer	Fall	Winter
	American Pipit	U	-	U	U
	Sprague's Pipit	_	_	Ac	Ac

Finches (Fringillidae)

√	Common Name	Spring	Summer	Fall	Winter
	Evening Grosbeak	-	-	-	0
	House Finch	C	C	C	C
	Purple Finch	-	-	-	Ac
	Cassin's Finch	0	-	0	0
	Red Crossbill	-	Ac	-	_
	Pine Siskin	U	Ac	U	U
	Lesser Goldfinch	U	C	C	U
	American Goldfinch	U	Ac	U	C

Longspurs (Calcariidae)

√	Common Name	Spring	Summer	Fall	Winter
	Chestnut–collared Longspur	U	-	_	U
	Thick-billed Longspur	_	_	_	Ac

New World Sparrows and Towhees (Passerellidae)

√	Common Name	Spring	Summer	Fall	Winter
	Cassin's Sparrow	U	C	U	U
	Grasshopper Sparrow	R	-	R	Ac
	Black-throated Sparrow	C	C	C	C
	Lark Sparrow	U	C	U	Ac
	Lark Bunting	U	-	U	R
	Chipping Sparrow	C	R	C	U
	Clay-colored Sparrow	U	-	U	Ac
	Black-chinned Sparrow	U	U	U	U
	Field Sparrow	U	-	U	U



American Pipit



House Finch



Cassin's Finch



Lesser Goldfinch



Chipping Sparrow



White-crowned Sparrow



Lincoln's Sparrow



Canyon Towhee



Spotted Towhee



Yellow-breasted Chat

√	Common Name	Spring	Summer	Fall	Winter
	Brewer's Sparrow	C	-	C	U
	Fox Sparrow	U	-	-	U
	American Tree Sparrow	-	-	-	Ac
	Dark–eyed Junco	U	-	U	C
	White-crowned Sparrow	C	Ac	C	C
	Golden-crowned Sparrow	Ac	-	Ac	-
	Harris's Sparrow	0	-	0	-
	White-throated Sparrow	U	-	U	U
	Sagebrush Sparrow	U	-	U	U
	Vesper Sparrow	U	-	U	U
	LeConte's Sparrow	-	-	Ac	-
	Baird's Sparrow	-	-	R	-
	Savannah Sparrow	U	-	U	U
	Song Sparrow	U	-	U	C
	Lincoln's Sparrow	U	-	U	U
	Swamp Sparrow	U	-	U	U
	Canyon Towhee	C	C	C	C
	Rufous-crowned Sparrow	C	C	C	C
	Green-tailed Towhee	U	-	U	U
	Spotted Towhee	U	-	U	C
	Eastern Towhee	_	-	-	Ac

Yellow-Breasted Chat (Icteriidae)

√	Common Name	Spring	Summer	Fall	Winter
	Yellow-breasted Chat	U	C	U	_

Blackbirds, Orioles, and Allies (Icteridae)

√	Common Name	Spring	Summer	Fall	Winter
	Yellow-headed Blackbird	U	0	U	0
	Bobolink	-	_	R	_
	Eastern Meadowlark	C	C	C	C
	Western Meadowlark	C	C	C	C
	Orchard Oriole	U	C	-	-
	Hooded Oriole	U	U	-	_
	Streak-backed Oriole	Ac	_	_	Ac
	Bullock's Oriole	C	C	C	_
	Baltimore Oriole	0	Ac	0	_
	Scott's Oriole	C	C	C	Ac
	Red-winged Blackbird	C	U	C	C
	Shiny Cowbird	-	Ac	-	_
	Bronzed Cowbird	U	U	-	_
	Brown-headed Cowbird	C	C	C	U
	Rusty Blackbird	0	_	0	0
	Brewer's Blackbird	C	_	C	C
	Common Grackle	0	_	_	_
	Great-tailed Grackle	U	U	U	U



√	Common Name	Spring	Summer	Fall	Winter
	Ovenbird	0	-	0	-
	Worm-eating Warbler	Ac	-	Ac	-
	Louisiana Waterthrush	Ac	-	Ac	-
	Northern Waterthrush	U	-	U	-
	Golden–winged Warbler	Ac	-	-	-
	Blue-winged Warbler	Ac	-	-	-
	Black-and-white Warbler	U	-	U	-
	Prothonotary Warbler	0	-	0	-



Yellow-headed Blackbird



Western Meadowlark



Bullock's Oriole



Scott's Oriole



Red-winged Blackbird



Common Name	Spring	Summer	Fall	Winter
Swainson's Warbler	Ac	_	Ac	_
Tennessee Warbler	0	_	0	_
Orange-crowned Warbler	U	_	U	0
Lucy's Warbler	U	U	R	-
Nashville Warbler	U	-	U	-
Virginia's Warbler	U	-	U	-
Connecticut Warbler	-	-	Ac	-
MacGillivray's Warbler	U	-	U	-
Kentucky Warbler	Ac	-	-	-
Common Yellowthroat	C	U	C	U
Hooded Warbler	0	-	-	-
American Redstart	R	-	R	-
Cape May Warbler	Ac	-	-	-
Cerulean Warbler	Ac	-	-	-
Northern Parula	0	Ac	0	-
Magnolia Warbler	0	-	-	-
Bay-breasted Warbler	0	-	0	-
Blackburnian Warbler	0	-	0	-
Yellow Warbler	C	U	C	-
Chestnut-sided Warbler	0	-	0	-
Blackpoll Warbler	0	-	0	-
Black–throated Blue Warbler	0	-	0	-
Palm Warbler	0	-	0	-
Pine Warbler	0	-	0	0
Yellow-rumped Warbler	C	Ac	C	U
Yellow-throated Warbler	0	Ac	0	-
Prairie Warbler	Ac	-	Ac	-
Grace's Warbler	U	-	U	-

√	Common Name	Spring	Summer	Fall	Winter
	Black-throated Gray Warbler	U	-	U	-
	Townsend's Warbler	U	-	U	-
	Hermit Warbler	Ac	-	-	-
	Black-throated Green Warbler	0	Ac	0	-
	Canada Warbler	Ac	-	Ac	-
	Wilson's Warbler	C	-	C	Ac
	Red-faced Warbler	Ac	-	-	-
	Painted Redstart	0	0	-	-

Piranga Tanagers, Cardinals, and Allies (Cardinalidae)

	.		•		•
√	Common Name	Spring	Summer	Fall	Winter
	Hepatic Tanager	U	U	U	-
	Summer Tanager	C	C	C	-
	Scarlet Tanager	Ac	-	Ac	-
	Western Tanager	U	U	U	-
	Northern Cardinal	C	C	C	C
	Pyrrhuloxia	U	U	U	U
	Rose-breasted Grosbeak	R	-	R	-
	Black-headed Grosbeak	U	U	U	-
	Blue Grosbeak	C	C	C	-
	Lazuli Bunting	U	Ac	U	-
	Indigo Bunting	U	R	U	-
	Varied Bunting	U	U	U	-
	Painted Bunting	C	C	U	-
	Dickcissel	-	0	R	-







Pyrrhuloxia



Blue Grosbeak





Dickcissel

Chihuahuan Desert Network Inventory & Monitoring Program

National Park Service
U.S. Department of the Interior



