



NPS Asset Inventory Summary - By Region

AKR		Alaska Region						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	989	0.058	\$9,277,893	\$28,400,327	\$492,083,307	991,744	SF	
Housing*:	304	0.077	\$2,404,477	\$7,237,796	\$93,419,920	298,503	SF	
Campgrounds:	20	0.069	\$0	\$728,691	\$10,494,249	116	AC	
Trails:	169	0.118	\$6,860,444	\$12,472,173	\$105,648,411	2,601,351	LF	
Waste Water Systems:	55	0.081	\$579,957	\$2,587,105	\$32,077,049	171,021	GPD	
Water Systems:	52	0.043	\$340,728	\$3,007,751	\$69,611,492	250,129	GPD	
Unpaved Roads† :	147	0.139	\$4,898,627	\$14,919,472	\$107,387,937	-	-	
Paved Roads‡:	71	0.238	-	\$33,144,531	\$139,244,274	-	-	
All Other§ :	588	0.053	\$4,548,998	\$12,981,860	\$244,220,451	-	-	
TOTAL:	2,395	0.089	\$28,911,124	\$115,479,706	\$1,294,187,091	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheatres.

FCI (Facility Condition Index) - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

CSDM (Critical Systems Deferred Maintenance) - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

DM (Deferred Maintenance) - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

CRV (Current Replacement Value) - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

Qty (Quantity) and UM (Unit of Measure) - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



NPS Asset Inventory Summary - By Region

IMR		Intermountain Region						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	6,739	0.072	\$59,861,896	\$296,497,146	\$4,120,175,220	11,201,732	SF	
Housing*:	1,598	0.111	\$15,193,308	\$61,181,521	\$550,201,722	2,578,721	SF	
Campgrounds:	525	0.053	\$646,382	\$20,641,048	\$390,105,098	47,381	AC	
Trails:	1,581	0.120	\$51,456,947	\$134,038,379	\$1,114,605,793	25,787,891	LF	
Waste Water Systems:	434	0.098	\$30,140,481	\$89,775,406	\$916,032,087	7,379,522	GPD	
Water Systems:	321	0.140	\$80,885,092	\$210,744,738	\$1,500,509,980	14,991,525	GPD	
Unpaved Roads† :	1,576	0.045	\$14,708,992	\$38,928,789	\$865,523,872	-	-	
Paved Roads‡:	2,827	0.235	-	\$1,429,671,273	\$6,096,412,612	-	-	
All Other§ :	3,800	0.041	\$29,450,856	\$133,388,500	\$3,287,450,219	-	-	
TOTAL:	19,401	0.128	\$282,343,955	\$2,414,866,800	\$18,841,016,605	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheatres.

FCI (Facility Condition Index) - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

CSDM (Critical Systems Deferred Maintenance) - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

DM (Deferred Maintenance) - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

CRV (Current Replacement Value) - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

Qty (Quantity) and UM (Unit of Measure) - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



NPS Asset Inventory Summary - By Region

MWR		Midwest Region						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	2,597	0.043	\$58,119,642	\$154,218,729	\$3,594,520,562	5,441,337	SF	
Housing*:	258	0.083	\$4,643,583	\$8,857,965	\$107,365,014	424,395	SF	
Campgrounds:	158	0.063	\$1,702,855	\$5,003,521	\$78,881,912	1,394	AC	
Trails:	537	0.061	\$7,714,573	\$13,769,430	\$224,649,647	6,895,228	LF	
Waste Water Systems:	209	0.050	\$5,565,567	\$6,446,298	\$128,156,126	736,703	GPD	
Water Systems:	239	0.047	\$3,459,208	\$7,064,223	\$150,299,908	1,959,346	GPD	
Unpaved Roads† :	575	0.052	\$3,487,667	\$10,549,060	\$202,894,870	-	-	
Paved Roads‡:	749	0.177	-	\$139,413,721	\$788,023,177	-	-	
All Other§ :	1,761	0.020	\$15,521,967	\$43,308,602	\$2,205,121,313	-	-	
TOTAL:	7,083	0.052	\$100,215,063	\$388,631,547	\$7,479,912,529	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheatres.

FCI (Facility Condition Index) - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

CSDM (Critical Systems Deferred Maintenance) - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

DM (Deferred Maintenance) - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

CRV (Current Replacement Value) - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

Qty (Quantity) and UM (Unit of Measure) - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



NPS Asset Inventory Summary - By Region

NCR		National Capital Region						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	1,189	0.059	\$23,348,787	\$144,907,068	\$2,441,141,042	3,170,254	SF	
Housing*:	33	0.092	\$328,646	\$1,542,581	\$16,803,457	62,707	SF	
Campgrounds:	26	0.033	\$0	\$1,029,304	\$31,519,310	312	AC	
Trails:	339	0.066	\$20,769,171	\$51,619,990	\$785,137,132	2,484,357	LF	
Waste Water Systems:	43	0.179	\$1,350,148	\$5,657,106	\$31,586,297	586,002	GPD	
Water Systems:	29	0.010	\$29,678	\$982,503	\$99,762,177	4,013,483	GPD	
Unpaved Roads† :	400	0.016	\$1,547,608	\$5,066,279	\$313,200,178	-	-	
Paved Roads‡:	731	0.195	-	\$483,743,697	\$2,482,703,158	-	-	
All Other§ :	1,554	0.090	\$471,704,754	\$970,466,928	\$10,831,764,305	-	-	
TOTAL:	4,344	0.098	\$519,078,792	\$1,665,015,456	\$17,033,617,055	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheatres.

FCI (Facility Condition Index) - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

CSDM (Critical Systems Deferred Maintenance) - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

DM (Deferred Maintenance) - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

CRV (Current Replacement Value) - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

Qty (Quantity) and UM (Unit of Measure) - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



NPS Asset Inventory Summary - By Region

NER		Northeast Region						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	4,065	0.099	\$131,773,178	\$609,212,120	\$6,134,648,729	11,845,793	SF	
Housing*:	370	0.144	\$14,386,045	\$42,937,195	\$297,185,177	1,007,234	SF	
Campgrounds:	75	0.028	\$310,079	\$1,828,832	\$65,415,518	628	AC	
Trails:	943	0.109	\$18,079,242	\$64,443,637	\$591,208,212	18,848,393	LF	
Waste Water Systems:	335	0.053	\$3,070,308	\$18,428,402	\$349,292,320	1,441,998	GPD	
Water Systems:	256	0.066	\$6,493,890	\$20,626,703	\$313,308,319	2,189,483	GPD	
Unpaved Roads† :	1,154	0.153	\$136,509,608	\$167,969,086	\$1,100,253,800	-	-	
Paved Roads‡:	1,521	0.285	-	\$734,058,142	\$2,571,698,456	-	-	
All Other§ :	2,901	0.026	\$110,163,901	\$374,913,057	\$14,272,936,182	-	-	
TOTAL:	11,620	0.079	\$420,786,251	\$2,034,417,175	\$25,695,946,713	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

FCI (Facility Condition Index) - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

CSDM (Critical Systems Deferred Maintenance) - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

DM (Deferred Maintenance) - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

CRV (Current Replacement Value) - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

Qty (Quantity) and UM (Unit of Measure) - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



NPS Asset Inventory Summary - By Region

PWR		Pacific West						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	5,894	0.089	\$142,804,569	\$437,913,220	\$4,916,860,446	9,259,332	SF	
Housing*:	1,089	0.094	\$16,281,938	\$45,042,664	\$480,528,680	1,592,680	SF	
Campgrounds:	339	0.057	\$645,363	\$26,468,670	\$460,334,577	4,712	AC	
Trails:	1,553	0.089	\$38,160,249	\$114,767,352	\$1,295,790,280	23,938,837	LF	
Waste Water Systems:	441	0.201	\$55,844,144	\$114,634,994	\$568,983,802	6,067,467	GPD	
Water Systems:	426	0.072	\$22,068,055	\$100,159,257	\$1,388,897,255	13,763,121	GPD	
Unpaved Roads† :	1,823	0.057	\$33,830,343	\$78,207,030	\$1,376,833,977	-	-	
Paved Roads‡:	1,800	0.253	-	\$1,614,271,313	\$6,379,949,165	-	-	
All Other§ :	3,048	0.033	\$102,198,870	\$226,898,083	\$6,960,758,009	-	-	
TOTAL:	16,413	0.116	\$411,833,529	\$2,758,362,583	\$23,828,936,190	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

FCI (Facility Condition Index) - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

CSDM (Critical Systems Deferred Maintenance) - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

DM (Deferred Maintenance) - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

CRV (Current Replacement Value) - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

Qty (Quantity) and UM (Unit of Measure) - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



NPS Asset Inventory Summary - By Region

SER		Southeast Region						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	3,287	0.053	\$35,516,763	\$144,718,081	\$2,716,099,613	4,675,814	SF	
Housing*:	330	0.108	\$4,772,704	\$18,000,856	\$166,378,100	560,713	SF	
Campgrounds:	246	0.040	\$512,437	\$6,764,880	\$168,792,540	1,387	AC	
Trails:	1,035	0.114	\$20,681,672	\$81,791,154	\$717,206,468	14,323,606	LF	
Waste Water Systems:	501	0.126	\$8,411,007	\$18,322,292	\$144,936,245	2,351,663	GPD	
Water Systems:	302	0.080	\$7,520,899	\$17,699,129	\$222,612,631	4,953,828	GPD	
Unpaved Roads† :	1,013	0.117	\$20,394,591	\$74,939,668	\$643,227,400	-	-	
Paved Roads‡:	3,034	0.159	-	\$1,198,539,257	\$7,555,205,543	-	-	
All Other§ :	4,768	0.012	\$85,912,251	\$555,047,271	\$47,242,931,384	-	-	
TOTAL:	14,516	0.036	\$183,722,325	\$2,115,822,587	\$59,577,389,924	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

FCI (Facility Condition Index) - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

CSDM (Critical Systems Deferred Maintenance) - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

DM (Deferred Maintenance) - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

CRV (Current Replacement Value) - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

Qty (Quantity) and UM (Unit of Measure) - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



NPS Asset Inventory Summary - By Region

WASO		Washington, DC Office						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	3	0.035	\$25,000	\$572,958	\$16,569,522	26,123	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	1	0.000	\$0	\$0	\$214,823	-	-	
Paved Roads‡:	0	0.000	-	\$0	\$0	-	-	
All Other§ :	4	0.000	\$0	\$0	\$0	-	-	
TOTAL:	8	0.034	\$25,000	\$572,958	\$16,784,345	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheatres.

FCI (Facility Condition Index) - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

CSDM (Critical Systems Deferred Maintenance) - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

DM (Deferred Maintenance) - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

CRV (Current Replacement Value) - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

Qty (Quantity) and UM (Unit of Measure) - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.