

Approved and sponsored for NWCG publication by the Training Working Team, November 1993. Comments regarding the content may be directed to: <u>nwcg_standards@nifc.blm.gov</u>

Additional copies of this publication may be ordered from: National Interagency Fire Center, ATTN: Great Basin Cache Supply Office, 3833 S. Development Ave., Boise ID 83705. Order NFES #2243.

Look Around Look I ook Down Up Fire Environment Indicators Factors Fuel Characteristics Continuous fine fuels CARRIER! Assess Heavy loading of dead and down Ladder fuels Tight crown spacing (< 20 ft.) Special Conditions: Firebrand sources Numerous snags Preheated canopy Frost and bug kill Unusual fine fuels Hi dead to live ratio Urban/Wildland **Fuel Moisture** Low RH (Dangerous < 25%) Feel & Measure Low 10 hr FMC (Dangerous < 6%) Drought conditions Seasonal drving **Fuel Temperature** High temps (above 85° F) High % of fuels with direct sun Feel & Measure Aspect with increasing fuel temps

Fire Environment	Indicatore	Fire Environment Factors	Indicators
Factors Terrain Scout	Steep slopes (> 50%) Chutes Box canyons Saddles Narrow canyons	Fire Behavior Watch	Leaning column Sheared column Well developed column Smoke color changes Trees torching Smoldering fires picking-up Small firewhirls beginning
Wind Observe	Surface winds above 10 mph Lenticular clouds High, fast moving clouds Approaching cold front Cumulonimbus development Sudden calm Battling winds	Remember to Exp • • Tem • V • St	Frequent spot fires Frequent spot fires Frequent spot fires Frequent spot fires Pect Diurnal Changes! RH • perature • Vinds • iability •
Stability Observe	Good visibility Gusty winds and dust devils Cumulus clouds Castellatus clouds in the a.m. Smoke rises straight up Inversion beginning to lift Thermal belt	 Indicators may vary in types. Ask questions in unfa 	n different regions and fuel



LCES Checklist 1. All personnel need to be informed. 2. Update throughout the shift. 3. Lookouts / Communications Competent and trusted individuals(s)? Radio and frequencies? Watch or time piece? Map and communication plan? Knowledge of crew(s) location on division? Good vantage and safe location? 4. Escape Routes Scouted? Walkable? • Timed? Marked? Away from fire head? 5. Safety Zones (no shelters needed) Clean Burn / Natural / Man-made / Vehicles. Scouted? Timed? Close enough? Anticipated ROS Large enough? Consider number of people. Consider fuels / flame length. Terrain? Avoid saddles; chutes; box canyons. Snags or rolling rocks?

Standard Fire Orders

- F Fight fire aggressively but provide for SAFETY FIRST.
- Initiate all action based on current and expected **FIRE BEHAVIOR.**
- R Recognize current WEATHER CONDITIONS and obtain forecasts.
- E Ensure INSTRUCTIONS are given and understood.
- Obtain current information on FIRE STATUS.
- **R** Remain in **COMMUNICATION** with crew members, your supervisor, and adjoining forces.
- D Determine SAFETY ZONES and ESCAPE ROUTES.
- E Establish LOOKOUTS in potentially hazardous situations.
- **R** Retain **CONTROL** at all times.

S

Stay ALERT, keep CALM, THINK clearly, ACT decisively.

Watch Out Situations (Survival Checklist)

- Fire not scouted and sized up.
- 2. In country not seen in daylight.
- 3. Safety zones and escape routes not identified.
- 4. Unfamiliar with weather and local factors influencing fire behavior.
- 5. Uninformed on strategy, tactics and hazards.
- 6. Instructions and assignments not clear.
- 7. No communication link with crew members/supervisor.
- 8. Constructing fireline without safe anchor point.
- 9. Building fireline downhill with fire below.
- 10. Attempting frontal assault on fire.
- 11. Unburned fuel between you and the fire.
- 12. Cannot see main fire, not in contact with anyone who can.
- 13. On a hillside where rolling material can ignite fuel below.
- 14. Weather is getting hotter and drier.
- 15. Wind increases and/or changes direction.
- 16. Getting frequent spot fires across line.
- 17. Terrain and fuels make escape to safety zones difficult.
- 18. Taking a nap near the fireline.

Downhill/Indirect Line Construction Guidelines

Downhill/Indirect line construction in steep terrain and fast burning fuels should be done with extreme caution. Direct attack methods should be used whenever possible. The following guidelines should be followed:

- The decision is made by a competent firefighter after thorough scouting.
- Downhill line construction should not be attempted when fire is present directly below the proposed starting point.
- The fireline should not be in or adjacent to a chimney or chute that could burn out while a crew is in the vicinity.
- Communication is established between the crew working downhill and crews working toward them from below. When neither crew can adequately observe the fire, communications will be established between the crews, supervising overhead, and a lookout posted where the fire's behavior can be continuously observed.

- The crew will be able to rapidly reach a zone of safety from any point along the line if the fire unexpectedly crosses below them.
- A downhill line should be securely anchored at the top. Avoid underslung line if at all practical.
- Line firing should be done as the line progresses, beginning from the anchor point at the top. The burned out area provides a continuous safety zone for the crew and reduces the likelihood of fire crossing the line.
- Be aware of and avoid the "WATCH OUT SITUATIONS!"
- Full compliance with "THE STANDARD FIRE ORDERS" is assured.

Common Denominators of Fire Behavior on Tragedy Fires

- 1. Most incidents happen on smaller fires or on isolated portions of larger fires.
- 2. Fires respond quickly to shifts in wind direction or wind speed.
- 3. Flare-ups generally occur in deceptively light fuels.
- 4. Fires run uphill surprisingly fast in chimneys, gullies, and on steep slopes.

9 Urban/Wildland "Watchouts"

- 1. Wooden construction and wood shake roofs.
- 2. Poor access and narrow one way roads.
- 3. Inadequate water supply.
- 4. Natural fuels 30 feet or closer to structures.
- 5. Extreme fire behavior.
- 6. Strong winds.
- 7. Evacuation of public (panic).
- Structures located in chimneys, box canyons, or on steep slopes in flashy fuels.
- 9. Bridge load limits.

entral Anti-Anti-Anti-Anti-Anti-Anti-Anti-Anti-	
and the second	
the second	
Construction of the second	
	Bernard Western State

	the second s
the second	
	An an and the second

	-
Contraction of the second s	
	_

	· •	
La de la companya de		
	1.1	
· · · · · · · · · · · · · · · · · · ·		
· · · · · · · · · · · · · · · · · · ·		
	. M	
	·	· · · · · · · · · · · · · · · · · · ·
	ι.	
	· .	
	· ,	
	· ,	
	· ,	
	· .	
	· ·	
	· ,	
	· .	

	물건이 많은 것 같아요. 이 것 같아요. 이 것 같아요. 그 것 같아요. 이 것 같아요. 것 같아요. 이 것 같아요. 같이 같아요.
	김 회사님이 많은 것 같아요. 그 집에서 가슴에 가슴을 가슴 것이 다가 가지 않는 것이 것이 가슴을 가지 않는 것이다.
	에 같은 것 수 없는 것 같은 것 같
	이 같은 것 같아요. 이 것 같아요.
	이 사람이 있는 것은 것은 것이 있는 것이 같은 것이 없는 것이 없다.
	김 영어에 있는 것은 것 같은 것이 없는 것이 없는 것이 같은 것은 것이 없는 것이 없는 것이 없는 것이 없는 것이 없는 것이 없다.
	에 가장에 있다. 전 것은 것은 것은 것은 것은 것을 가지 않는 것은 것은 것을 것 이 것 <mark>는 것은 것은 것을 가지 않는 것</mark> 을 수 있다.
	New York, 이번 2011년 1월 2012년 1월
	[] 2019[2019] 2019[2019[2019] 2019[2019[2019[2019] 2019[20
	이 것 같은 것 같
	The second se
	방법은 화가 방법을 가지 않는 것이 없는 것은 것이 있는 것이 것을 가지 않는 것을 얻는 것을 하는 것이 없는 것이다.
LUC CONFERENCE DETAILARY OFFICE, 2000-500 210 (001 C)	The Construction of the Constru-
O'S' COAFUMMENT BETWITTING OFFICE: 2000-283-310/00101	