

# Florissant Fossil Beds

## Fossil Plants

National Park Service  
U.S. Department of the Interior

Florissant Fossil Beds  
National Monument  
Colorado



More than 130 plant species have been described from Florissant. These are represented by leaves, fruits, flowers, seeds, wood, and pollen, yet the only fossils most visitors see are the stumps of ancient redwood trees. Why is this? The small leaves and fruits are preserved in delicate shale that rapidly weathers to dust and erodes away if not collected, whereas the redwood stumps are larger and preserved in more durable rock.



### How were the fossil plants preserved?

Most of the plant diversity at Florissant comes from the abundance of plants preserved in shale. The volcanic mudflow that preserved the redwood stumps was very high-energy, meaning that only the most durable plant parts, such as trunks, cones, and seeds, survived the flow intact. More delicate plant parts (e.g., leaves and flowers) were preserved poorly or not at all.

Delicate plant parts were deposited at the bottom of Lake Florissant, a low-energy, low-oxygen environment. Their fine features are preserved in paper shale, a very fine-grained rock produced by the deposition of volcanic ash and microscopic algae called diatoms. These delicate fossils are still trapped within layers of rock and are only exposed through natural weathering, which causes the fossils to deteriorate, or excavations by the paleontology staff. During excavations, monument paleontology staff dig out pieces of shale, split them to reveal the fossils, and bring them back to the lab where they are stabilized for storage.

### Where did the Eocene plants live?

Eocene Florissant was made up of a variety of plant habitats, ranging from the aquatic environment of Lake Florissant to the drier and harsher environments of the surrounding mountainsides. Since most of the plants represented by fossils are terrestrial species, they had to be transported into the lake from wherever they grew, facing possible destruction in the process. Therefore, the distance between a plant and the lake greatly influenced the likelihood of it being fossilized.



Species like *Sequoia* (redwood, left) were preserved frequently because they lived in wet valley bottoms near the lake. Pine (above left), mountain mahogany (above center), and oak (above right), which are seen less frequently as fossils, lived on more distant hillsides.

The abundance of certain species also plays a role in how often they are preserved. *Fagopsis longifolia*, the most common fossil plant found at Florissant, was a tree that inhabited the banks of the lake and streams. The number of these fossils relative to those of other species suggests that *Fagopsis* was also one of the most common species in the Eocene environment.

Left: *Sequoia* FLFO 3661;  
Above left to right: *Pinus* FLFO 11481, *Cercocarpus* FLFO 4096, *Quercus* UCMP-3661; Right: *Fagopsis* YPM-30121






## Why are fossil leaves so common?

Plants in the fossil record are unique in how certain organs are preserved preferentially. A plant organ is a part of a plant that has a specialized function. For example, leaves are considered organs because they are responsible for collecting sunlight for photosynthesis. Other plant organs include flowers, seeds, fruits, and stems.


Unlike animals, while a plant is alive it continually releases and regrows many of its organs. All plants, even evergreens, drop leaves. All plants release reproductive structures such as pollen, seeds, and fruit. This means that many isolated plant organs can be found in depositional environments like the bottom of Lake Florissant. Therefore, leaves and reproductive structures are more commonly seen in the fossil record than

other plant parts that are not released from the plant during its life, such as the wood of a trunk or stem.

The durability of a plant organ also affects its fossilization. Certain leaves are more likely to reach a depositional environment intact than others.



Evergreen leaves like *Mahonia* (left) are thicker than deciduous leaves, making them better able to withstand damage during transport and more likely to be well preserved.




Fossil fruits and flowers (above) like *Asterocarpinus*, *Florissantia*, and *Hydrangea* are rare at Florissant. This is because they are very fragile and can easily fall apart or be destroyed before being buried.

Left: *Mahonia* UCMP-3764; Top left: *Florissantia* flower UCMP-3619 (width 2.6 cm, 1 in); Top right: *Asterocarpinus* fruit UCMP-198424; Right: *Hydrangea* flower YPM-23931.

## What happened to the Eocene Florissant plants?

At the end of the Eocene, there was a drop in global temperature and the Florissant climate began to change from subtropical/warm temperate to cooler temperate. In response to the intense cooling, many plants native to the ecosystem that were not cold-adapted either became extinct or dispersed to other parts of the world.



The two most abundant plant fossils at Florissant, *Fagopsis*, a relative of beech, and *Cedrelospermum*, a relative of elm, became extinct.

The last living species of *Sequoia*, the coastal redwood, lives on the US Pacific coast. *Koelreuteria* (golden rain tree, far left) and *Ailanthus* (tree of heaven, left), two types of trees widespread during the Eocene, now live only in Asia and Oceania.

Many genera present in Eocene Florissant survived under the colder conditions. These include plants that are still common across North America, including *Acer* (maple), *Rosa* (rose), *Carya* (hickory), and *Hydrangea*. At Florissant, *Pinus* (right) and *Populus* (far right) have survived since the Eocene and are abundant today as Ponderosa pines (*Pinus ponderosa*) and quaking aspens (*Populus tremuloides*).

Above: left, *Koelreuteria* YPM-30055; right, *Ailanthus* UCMP-141996. Right: *Pinus* FLFO 9362; Far right: *Populus* FLFO 3959.

Scale bars 1 cm (0.4 in).

