Southern Plains Inventory & Monitoring Network Natural Resource Stewardship and Science



Fort Larned National Historic Site Bird Checklist



Checklist Key

Abundance

Abundance information is for suitable habitat and season.

- Common May be seen daily but not in large numbers
- Uncommon Likely to be seen monthly; may be locally common
- Rare Present, but usually seen only a few times each year
- Occasional Seen in the park at least once every few years, but not necessarily every year

Habitat

- R Riparian: Habitats dominated by mixed deciduous hardwoods along the Pawnee River
- G Grassland: Habitats in the historic site dominated by smooth brome and buffalo grass grassland

Season

- Resident Found year-round
- Summer Found predominantly in the summer months (June August)
- Winter Found predominantly in the winter months (November February)
- Migrant Found predominantly during spring and/or fall migratory periods (March – May, September – October)

The information in this list is based on NPSpecies, Natural Resource Condition Assessments, and Southern Plains Inventory and Monitoring Network landbird monitoring surveys at Fort Larned NHS, and may not be a comprehensive list of all bird species in the historic site. The list is arranged by family and uses common names following the American Ornithological Society's Checklist of North American Birds 7th edition and its supplements through 2019.

Birding Ethics

Be mindful by following ethical birding guidelines that protect birds and enhance everyone's birding experience:

- » Keep your distance and avoid disturbing bird nesting sites; move away from alarmed pairs.
- » Report bird observations to park rangers at the visitor center. This helps other birders and supports research.
- » Do not use broadcasting calls to attract birds; calls interfere with nesting activity and may frustrate other birders.
- » Report rare species nesting sites to appropriate park officials only. Use caution when posting bird sightings over social media.
- » Do not set up bird feeding stations or feed birds in national historic sites.

Acknowledgments

All bird identification photos were generously provided courtesy of Robert Shantz (rshantz.com).

The <u>Southern Plains Inventory and Monitoring Network</u> is one of 32 National Park Service inventory and monitoring networks that assess the condition of park ecosystems and develop a stronger scientific basis for stewardship of natural resources.

Checklist

| CHECKIISE | | | | |
|--|--------------------------|-----------------|-----------|----------------|
| Waterfowl (Anatidae) √ Common Name | Abundance | Habitat | Season | 1 |
| Snow Goose | Abundant | R | Winter | |
| Greater White-fronted Goose | Abundant | R | Winter | |
| Canada Goose | Abundant | R | Winter | |
| Wood Duck | Uncommon | R | Summer | Canada Go |
| Blue-winged Teal | Uncommon | R | Migrant | |
| Mallard | Rare | R | Resident | |
| Green-winged Teal | Uncommon | R | Migrant | |
| Vew World Quail (Odontophor √ Common Name | ridae) Abundance | Habitat | Season | |
| Northern Bobwhite | Uncommon | R, G | Resident | |
| Partridges, Grouse, Turkeys, ar | od Old World O | uail (Pha | cianidao) | Mallard |
| √ Common Name | Abundance | Habitat | Season | Widilard |
| Ring-necked Pheasant | Common | R, G | Resident | |
| Wild Turkey | Uncommon | R, G | Resident | |
| Pigeons and Doves (Columbida √ Common Name | a e) Abundance | Habitat | Season | A STANK |
| Rock Pigeon | Rare | G | Resident | |
| Eurasian Collared-Dove | Uncommon | R, G | Resident | A Comment |
| White-winged Dove | Rare | R | Summer | Wild Turke |
| Mourning Dove | Common | R, G | Resident | vviid Tark |
| _ | . P.L. A | · | | A |
| Cuckoos and Roadrunners (Cuc √ Common Name | Abundance | Habitat | Season | C. Contraction |
| Yellow-billed Cuckoo | Uncommon | R | Summer | 400 |
| Black-billed Cuckoo | Rare | R | Migrant | about the same |
| lighthawks (Caprimulgidae) √ Common Name | Abundance | Habitat | Season | White-winged |
| Common Nighthawk | Uncommon | R, G | Summer | |
| _ | | , - | | |
| Swifts (Apodidae) √ Common Name | Abundance | Habitat | Season | |
| Chimney Swift | Rare | R, G | Summer | |
| • | | | | |
| Plovers (Charadriidae) √ Common Name | Abundance | Habitat | Season | Mourning D |
| Killdeer | Uncommon | R, G | Resident | |
| Sandpipers, Phalaropes, and A √ Common Name | Ilies (Scolopacio | dae) Habitat | Season | |
| Upland Sandpiper | Rare | G | Migrant | |
| Spotted Sandpiper | Rare | R | Migrant | |
| Specific callabibet | | ., | | |

Killdeer



Habitat

R, G

R. G

R

Habitat

R. G

Habitat

G

R, G

G

R, G

Habitat

R, G

R. G

Habitat

R

Habitat

R

R

R

R

Habitat

R. G

Habitat

R

R, G

R. G

R, G

R

R

R

R, G

Season

Resident

Migrant

Migrant

Season

Resident

Season

Migrant

Migrant

Summer

Resident

Season

Resident

Resident

Season

Summer

Season

Resident

Resident

Resident

Resident

Resident

Season

Resident

Season

Summer

Summer

Summer

Summer

Summer

Migrant

Resident

Resident

| Common Name | Abundance | Habitat | Season |
|---|-----------------|---------|-----------|
| White-eyed Vireo | Rare | R | Summer |
| Bell's Vireo | Rare | R | Summer |
| Warbling Vireo | Uncommon | R | Migrant |
| Red-eyed Vireo | Rare | R | Migrant |
| ys and Ravens (Corvidae) Common Name | Abundance | Habitat | Season |
| Blue Jay | Common | R | Resident |
| Black-billed Magpie | Occasional | R, G | Resident |
| American Crow | Uncommon | R, G | Resident |
| arks (Alaudidae) / Common Name | Abundance | Habitat | Season |
| Horned Lark | Rare | G | Resident |
| | Naic | , | nesidelli |
| wallows (Hirundinidae) / Common Name | Abundance | Habitat | Season |
| Bank Swallow | Rare | R, G | Migrant |
| Northern Rough-winged Swallow | Rare | R, G | Migrant |
| Purple Martin | Rare | R, G | Migrant |
| Cliff Swallow | Uncommon | R, G | Summer |
| Barn Swallow | Common | R, G | Summer |
| hickadees and Titmice (Paridae / Common Name | e) Abundance | Habitat | Season |
| Black-capped Chickadee | Rare | R | Resident |
| • • | | | |
| uthatches (Sittidae) / Common Name | Abundance | Habitat | Season |
| White-breasted Nuthatch | Rare | R | Winter |
| /rens (Troglodytidae) | | | |
| Common Name | Abundance | Habitat | Season |
| House Wren | Common | R | Resident |
| Winter Wren | Rare | R | Migrant |
| Carolina Wren | Uncommon | R | Resident |
| natcatchers (Polioptilidae) | Abundance | Habitat | Season |
| Blue-gray Gnatcatcher | Uncommon | R | Summer |
| inglets (Regulidae) | | | |
| Common Name | Abundance | Habitat | Season |

Uncommon

R


Migrant

Ruby-crowned Kinglet





White-breasted Nuthatch



| Thrushes (Turdidae) | | | |
|---|--|--|---|
| √ Common Name | Abundance | Habitat | Season |
| Eastern Bluebird | Rare | R, G | Resident |
| Gray-cheeked Thrush | Rare | R | Migrant |
| Swainson's Thrush | Uncommon | R | Migrant |
| American Robin | Common | R, G | Resident |
| Mockingbirds and Thrashers (M √ Common Name | imidae) Abundance | Habitat | Season |
| Gray Catbird | Common | R | Summer |
| Brown Thrasher | Common | R | Resident |
| Northern Mockingbird | Uncommon | R, G | Resident |
| Starlings (Sturnidae) | | | |
| √ Common Name | Abundance | Habitat | Season |
| European Starling | Uncommon | R, G | Resident |
| Waxwings (Bombycillidae) √ Common Name | Abundance | Habitat | Season |
| Cedar Waxwing | Rare | R | Migrant |
| Old World Sparrows (Passeridae | .) | | |
| √ Common Name | Abundance | Habitat | Season |
| House Sparrow | Common | R, G | Resident |
| Pipits (Motacillidae) | | | |
| • • | Abundance | Habitat | Season |
| √ Common Name | Abundance Uncommon | Habitat G | Season Winter |
| √ Common Name American Pipit | | | |
| √ Common Name | | | |
| ✓ Common Name American Pipit Finches (Fringillidae) | Uncommon | G | Winter |
| ✓ Common Name American Pipit Finches (Fringillidae) ✓ Common Name | Uncommon | G | Winter |
| ✓ Common Name American Pipit Finches (Fringillidae) ✓ Common Name House Finch | Uncommon Abundance Rare | G Habitat R, G | Winter Season Resident |
| ✓ Common Name American Pipit Finches (Fringillidae) ✓ Common Name House Finch Pine Siskin | Abundance Rare Rare Uncommon | G Habitat R, G R | Season Resident Winter |
| ✓ Common Name American Pipit Finches (Fringillidae) ✓ Common Name House Finch Pine Siskin American Goldfinch New World Sparrows and Towh | Abundance Rare Rare Uncommon | G Habitat R, G R R, G | Season Resident Winter Resident |
| ✓ Common Name American Pipit Finches (Fringillidae) ✓ Common Name House Finch Pine Siskin American Goldfinch New World Sparrows and Towh ✓ Common Name | Abundance Rare Rare Uncommon ees (Passerelli | Habitat R, G R R, G dae) Habitat | Season Resident Winter Resident Season |
| ✓ Common Name American Pipit Finches (Fringillidae) ✓ Common Name House Finch Pine Siskin American Goldfinch New World Sparrows and Towh ✓ Common Name Cassin's Sparrow | Abundance Rare Rare Uncommon ees (Passerelli Abundance Occasional | G Habitat R, G R R, G dae) Habitat G | Season Resident Winter Resident Season Migrant |
| Common Name American Pipit Finches (Fringillidae) √ Common Name House Finch Pine Siskin American Goldfinch New World Sparrows and Towh √ Common Name Cassin's Sparrow Grasshopper Sparrow Lark Sparrow | Abundance Rare Rare Uncommon ees (Passerelli Abundance Occasional Uncommon | G Habitat R, G R R, G dae) Habitat G | Season Resident Winter Resident Season Migrant Summer |
| Tommon Name American Pipit Finches (Fringillidae) √ Common Name House Finch Pine Siskin American Goldfinch New World Sparrows and Towh √ Common Name Cassin's Sparrow Grasshopper Sparrow Lark Sparrow Lark Bunting | Abundance Rare Rare Uncommon ees (Passerelli Abundance Occasional Uncommon Rare | G Habitat R, G R R, G dae) Habitat G R, G | Season Resident Winter Resident Season Migrant Summer Resident |
| Common Name American Pipit Finches (Fringillidae) √ Common Name House Finch Pine Siskin American Goldfinch New World Sparrows and Towh √ Common Name Cassin's Sparrow Grasshopper Sparrow Lark Sparrow | Abundance Rare Rare Uncommon ees (Passerelli Abundance Occasional Uncommon Rare Rare | Habitat R, G R R, G dae) Habitat G R, G G R, G | Season Resident Winter Resident Season Migrant Summer Resident Migrant |
| Common Name American Pipit Finches (Fringillidae) √ Common Name House Finch Pine Siskin American Goldfinch New World Sparrows and Towh √ Common Name Cassin's Sparrow Grasshopper Sparrow Lark Sparrow Lark Bunting Chipping Sparrow | Abundance Rare Rare Uncommon ees (Passerelli Abundance Occasional Uncommon Rare Rare Common | Habitat R, G R, G Habitat G G R, G R, G R, G | Season Resident Winter Resident Season Migrant Summer Resident Migrant Winter |
| Tinches (Fringillidae) √ Common Name House Finch Pine Siskin American Goldfinch New World Sparrows and Towh √ Common Name Cassin's Sparrow Grasshopper Sparrow Lark Sparrow Lark Bunting Chipping Sparrow Clay-colored Sparrow Field Sparrow | Abundance Rare Rare Uncommon ees (Passerelli Abundance Occasional Uncommon Rare Rare Common Uncommon | Habitat R, G R, G Habitat G R, G R, G R, G R, G R, G R, G | Season Resident Winter Resident Season Migrant Summer Resident Migrant Winter Winter |
| Tinches (Fringillidae) √ Common Name House Finch Pine Siskin American Goldfinch New World Sparrows and Towh √ Common Name Cassin's Sparrow Grasshopper Sparrow Lark Sparrow Lark Bunting Chipping Sparrow Clay-colored Sparrow Field Sparrow White-crowned Sparrow | Abundance Rare Rare Uncommon ees (Passerelli Abundance Occasional Uncommon Rare Rare Common Uncommon | Habitat R, G R, G Habitat G R, G R, G R, G R, G R, G G R, G | Season Resident Winter Resident Season Migrant Summer Resident Migrant Winter Winter Resident Winter |
| Tinches (Fringillidae) √ Common Name House Finch Pine Siskin American Goldfinch New World Sparrows and Towh √ Common Name Cassin's Sparrow Grasshopper Sparrow Lark Sparrow Lark Bunting Chipping Sparrow Clay-colored Sparrow Field Sparrow White-crowned Sparrow Henslow's Sparrow | Abundance Rare Rare Uncommon ees (Passerelli Abundance Occasional Uncommon Rare Rare Common Uncommon Uncommon Uncommon Uncommon Occasional | Habitat R, G R R, G Habitat G R, G R, G R, G R, G R, G G R, G G R, G | Season Resident Winter Resident Season Migrant Summer Resident Migrant Winter Winter Resident Winter Resident Winter Resident Migrant |
| Tinches (Fringillidae) √ Common Name House Finch Pine Siskin American Goldfinch New World Sparrows and Towh √ Common Name Cassin's Sparrow Grasshopper Sparrow Lark Sparrow Lark Bunting Chipping Sparrow Clay-colored Sparrow Field Sparrow White-crowned Sparrow | Abundance Rare Rare Uncommon ees (Passerelli Abundance Occasional Uncommon Rare Rare Common Uncommon | Habitat R, G R, G Habitat G R, | Season Resident Winter Resident Season Migrant Summer Resident Migrant Winter Winter Resident Winter Resident |

| _1 | Common Name | | Abundance | Habitat | Season | |
|--------------------------------|--------------|----------|-----------|---------|--------|--|
| | Yellow-breas | ted Chat | Rare | R | Summer | |
| Disable and Allies (Istorials) | | | | | | |

Bla


| Blackbirds, Orioles, and Allies (Icteridae) | | | | | |
|---|-----------|---------|----------|--|--|
| √ Common Name | Abundance | Habitat | Season | | |
| Bobolink | Rare | G | Migrant | | |
| Eastern Meadowlark | Common | R, G | Resident | | |
| Western Meadowlark | Common | R, G | Resident | | |
| Orchard Oriole | Common | R | Summer | | |
| Bullock's Oriole | Rare | R | Migrant | | |
| Baltimore Oriole | Common | R | Summer | | |
| Red-winged Blackbird | Common | R, G | Resident | | |
| Brown-headed Cowbird | Common | R, G | Resident | | |
| Common Grackle | Uncommon | R, G | Resident | | |
| Great-tailed Grackle | Rare | R, G | Resident | | |

New World Warhlers (Parulidae)

| √ Common Name | Abundance | Habitat | Season |
|-------------------------|-----------|---------|---------|
| Black-and-white Warbler | Rare | R | Migrant |
| Prothonotary Warbler | Rare | R | Migrant |
| Orange-crowned Warbler | Rare | R | Migrant |
| Common Yellowthroat | Rare | R | Summer |
| Yellow Warbler | Uncommon | R | Migrant |
| Yellow-rumped Warbler | Uncommon | R | Winter |

Piranga Tanagers, Cardinals and Allies (Cardinalidae)

| √ | Common Name | Abundance | Habitat | Season |
|---|------------------------|-----------|---------|----------|
| | Summer Tanager | Rare | R | Summer |
| | Northern Cardinal | Common | R | Resident |
| | Rose-breasted Grosbeak | Uncommon | R | Migrant |
| | Black-headed Grosbeak | Rare | R | Migrant |
| | Blue Grosbeak | Rare | R, G | Summer |
| | Indigo Bunting | Uncommon | R, G | Summer |
| | Dickcissel | Common | R, G | Summer |





Western Meadowlark



Bullock's Oriole



Red-winged Blackbird



Common Yellowthroat



Yellow Warbler



Northern Cardinal

National Park Service U.S. Department of the Interior

Southern Plains Inventory & Monitoring Network Natural Resource Stewardship and Science



Fort Larned National Historic Site

preserves the site of a military outpost in central Kansas that was active between 1859 and 1878. Fort Larned was located near the midway point of the Santa Fe Trail. The fort sits on the floodplain of the Pawnee River adjacent to a large oxbow. The historic site's 718 acres contain grassland and wooded riparian areas that provide important habitat for birds. More than 109 species of birds have been documented in the historic site.

The approximately 1-mile nature trail is the best place to observe birds in the park as it winds through a range of habitats. Dickcissels, Wild Turkeys, Western Meadowlarks, Northern Harriers, and Yellow-rumped Warblers may be seen in grassland areas, and Northern Bobwhites, Great Blue Herons, Blue Grosbeaks, Redheaded Woodpeckers, and Red-winged Blackbirds are found near the river.

Fort Larned is also located on the Central Flyway, a major bird migration corridor that generally follows the Great Plains. A great variety of migratory shorebirds can be seen in central Kansas during the spring and fall migrations. Migratory songbirds including Warbling Vireo, Lark Bunting, and Rose-breasted Grosbeak can be seen in the historic site as they pass through the area.

