Southern Plains Inventory & Monitoring Network Natural Resource Stewardship and Science



Sand Creek Massacre National Historic Site Bird Checklist



EXPERIENCE YOUR AMERICA™

Checklist Key

Abundance

- Abundant May be seen daily and counted in relatively large numbers
- Common May be seen daily but not in large numbers
- Uncommon Likely to be seen monthly; may be locally common
- Rare Present, but usually seen only a few times each year
- Occasional Seen in the park at least once every few years, but not necessarily
 every year
- Accidental Seen no more than a few times; birds that have strayed out of their normal range/habitat

Habitat

- R Riparian: Habitats dominated by cottonwoods and herbaceous vegetation along Big Sandy Creek
- G Grassland: Habitats in the historic site dominated by grassland such as blue grama and buffalo grass
- W Wetlands: Marshy edges in the historic site where vegetation is adapted to or tolerant of regularly-saturated soils

Season

- Resident Found year-round
- Summer Found predominantly in the summer months (June–August)
- Winter Found predominantly in the winter months (November–February)
- Migrant Found predominantly during spring and/or fall migratory periods (March–May, September–October)

The information in this list is based on NPSpecies, Natural Resource Condition Assessments, and Southern Plains Inventory and Monitoring Network Landbird Monitoring surveys at Sand Creek Massacre NHS, and may not be a comprehensive list of all bird species at the historic site. The list is arranged by family and uses common names following the American Ornithological Society's Checklist of North American Birds 7th edition and its supplements through 2019.

Birding Ethics

Be mindful by following ethical birding guidelines that protect birds and enhance everyone's birding experience:

- » Keep your distance and avoid disturbing bird nesting sites; move away from alarmed pairs.
- » Report bird observations to park rangers at the visitor center. This helps other birders and supports research.
- » Do not use broadcasting calls to attract birds; calls interfere with nesting activity and may frustrate other birders.
- » Report rare species nesting sites to appropriate park officials only. Use caution when posting bird sightings over social media.
- » Do not set up bird feeding stations or feed birds in national historic sites.
- » Stay on designated trails at all times.

Checklist

Waterfowl (Anatidae)

| √ | Common Name | Abundance | Habitat | Season |
|---|------------------|-----------|---------|---------|
| | Blue-winged Teal | Rare | W | Migrant |
| | Mallard | Rare | W | Migrant |

New World Quail (Odontophoridae)

| √ | Common Name | Abundance | Habitat | Season |
|---|-------------------|------------|---------|----------|
| | Northern Bobwhite | Occasional | R, G | Resident |
| | Scaled Quail | Occasional | R, G | Resident |

Partridges, Grouse, and Turkeys (Phasianidae)

| _√ | Common Name | Abundance | Habitat | Season | |
|----|------------------------|------------|---------|----------|--|
| | Ring-necked Pheasant | Common | R, G, W | Resident | |
| | Lesser Prairie-Chicken | Occasional | G | Resident | |
| | Wild Turkey | Occasional | R, G | Resident | |

Pigeons and Doves (Columbidae)

| √ | Common Name | Abundance | Habitat | Season |
|---|------------------------|------------|---------|----------|
| | Rock Pigeon | Occasional | G | Resident |
| | Eurasian Collared-Dove | Rare | R, G | Resident |
| | Mourning Dove | Common | R, G, W | Resident |

Cuckoos and Roadrunners (Cuculidae)

| _√ | Common Name | Abundance | Habitat | Season |
|----|----------------------|-----------|---------|----------|
| | Greater Roadrunner | Rare | G | Resident |
| | Yellow-billed Cuckoo | Rare | R | Migrant |

Nighthawks (Caprimulgidae)

| √ | Common Name | Abundance | Habitat | Season |
|---|------------------|-----------|---------|--------|
| | Common Nighthawk | Common | R, G, W | Summer |

Plovers (Charadriidae)

| ٧ | Common Name | Abundance | Habitat | season |
|---|-----------------|-----------|---------|----------|
| | Killdeer | Uncommon | R, G, W | Resident |
| | Mountain Plover | Rare | G, W | Migrant |

Sandpipers, Phalaropes, and Allies (Scolopacidae)

| √ | Common Name | Abundance | Habitat | Season |
|---|--------------------|------------|---------|---------|
| | Long-billed Curlew | Occasional | G | Migrant |

Bitterns, Herons, and Allies (Ardeidae)

| √ | Common Name | Abundance | Habitat | Season |
|---|------------------|-----------|---------|----------|
| | Great Blue Heron | Rare | R, G, W | Resident |





Scaled Quail



Wild Turkey



Mourning Dove



Greater Roadrunner




Killdeer









Ibises and Spoonbills (Threskiornithidae)

| √ | Common Name | Abundance | Habitat | Season |
|----|-------------------------|------------|---------|---------|
| | White-faced Ibis | Occasional | G | Migrant |
| No | w World Vultures (Catha | urtidae) | | |

| √ | Common Name | Abundance | Habitat | Season |
|---|----------------|-----------|---------|--------|
| | Turkey Vulture | Rare | R, G, W | Summer |

Hawks, Kites, Eagles and Allies (Accipitridae)

| _√ | Common Name | Abundance | Habitat | Season |
|----|------------------|-----------|---------|----------|
| | Northern Harrier | Rare | R, G, W | Migrant |
| | Swainson's Hawk | Uncommon | R, G, W | Summer |
| | Red-tailed Hawk | Uncommon | R, G, W | Resident |
| | Ferruginous Hawk | Rare | R, G, W | Migrant |
| | | | | |

Barn Owls (Tytonidae)

| √ | Common Name | Abundance | Habitat | Season |
|---|-------------|-----------|---------|----------|
| | Barn Owl | Rare | R, G, W | Resident |

Typical Owls (Strigidae)

| √ | Common Name | Abundance | Habitat | Season |
|---|------------------|-----------|---------|----------|
| | Great Horned Owl | Uncommon | R, G, W | Resident |
| | Burrowing Owl | Rare | G | Resident |
| | Short-eared Owl | Raro | RGW | Migrant |

Woodpeckers and Allies (Picidae)

| √ | Common Name | Abundance | Habitat | Season |
|---|--------------------------|------------|---------|----------|
| | Red-headed Woodpecker | Common | R | Resident |
| | Red-bellied Woodpecker | Occasional | R | Resident |
| | Downy Woodpecker | Uncommon | R | Resident |
| | Ladder-backed Woodpecker | Occasional | R | Resident |
| | Hairy Woodpecker | Occasional | R | Migrant |
| | Northern Flicker | Common | R | Resident |

Falcons (Falconidae)

| √ | Common Name | Abundance | Habitat | Season |
|---|------------------|-----------|---------|----------|
| | American Kestrel | Uncommon | R, G, W | Resident |

Tyrant Flycatchers (Tyrannidae)

| • | | | | |
|---|----------------------|------------|---------|----------|
| √ | Common Name | Abundance | Habitat | Season |
| | Cassin's Kingbird | Rare | R, G | Summer |
| | Western Kingbird | Common | R, G, W | Summer |
| | Eastern Kingbird | Common | R, G, W | Summer |
| | Western Wood-Pewee | Uncommon | R | Migrant |
| | Hammond's Flycatcher | Occasional | R | Migrant |
| | Dusky Flycatcher | Rare | R | Migrant |
| | Say's Phoebe | Rare | R, G, W | Resident |

Shrikes (Laniidae) **Common Name**

Loggerhead Shrike

| Vireos (Vireonidae) | | | | | |
|---------------------|----------------|-----------|---------|---------|--|
| √ | Common Name | Abundance | Habitat | Season | |
| | Warbling Vireo | Uncommon | R | Migrant | |
| | Red-eyed Vireo | Rare | R | Migrant | |

Abundance

Rare

Habitat

R, G, W

Season

Resident

Crows, Jays, and Ravens (Corvidae)

| √ | Common Name | Abundance | Habitat | Season |
|---|------------------|-----------|---------|----------|
| | Blue Jay | Rare | R | Resident |
| | American Crow | Rare | R, G | Resident |
| | Chihuahuan Raven | Rare | R | Resident |

Larks (Alaudidae)

| √ | Common Name | Abundance | Habitat | Season |
|---|-------------|-----------|---------|----------|
| | Horned Lark | Common | R, G, W | Resident |

Swallows (Hirundinidae)

| ٧_ | Common Name | Abundance | Habitat | Season | |
|----|----------------------------------|-----------|---------|---------|--|
| | Northern Rough-winged Swallow | Rare | G | Migrant | |
| | Barn Swallow | Common | R, G, W | Summer | |
| | Cliff Swallow | Rare | R, G, W | Migrant | |
| | | | | | |

Nuthatches (Sittidae)

| -√ | Common Name | Abundance | Habitat | Season |
|----|-------------------------|------------|---------|----------|
| | White-breasted Nuthatch | Occasional | R | Resident |

Wrens (Troglodytidae)

| √ | Common Name | Abundance | Habitat | Season | |
|---|---------------|------------|---------|----------|--|
| | Rock Wren | Occasional | G | Migrant | |
| | House Wren | Common | R, G | Resident | |
| | Rewick's Wren | Rare | R | Resident | |

Thrushes (Turdidae)

| _√ | Common Name | Abundance | Habitat | Season |
|----|-------------------|------------|---------|----------|
| | Eastern Bluebird | Rare | R, G, W | Resident |
| | Swainson's Thrush | Occasional | R | Migrant |
| | Hermit Thrush | Occasional | R | Migrant |
| | American Robin | Rare | R. W | Migrant |

Mockingbirds and Thrashers (Mimidae)

| √ | Common Name | Abundance | Habitat | Season |
|---|----------------------|-----------|---------|----------|
| | Brown Thrasher | Rare | R | Resident |
| | Northern Mockingbird | Common | R, G, W | Resident |



Loggerhead Shrike



Horned Lark



Barn Swallow



Rock Wren



Eastern Bluebird



Northern Mockingbird



Starlings (Sturnidae)

| √ | Common Name | Abundance | Habitat | Season |
|---|-------------------|-----------|---------|----------|
| | European Starling | Uncommon | R, G, W | Resident |

Waxwings (Bombycillidae)

| √ | Common Name | Abundance | Habitat | Season |
|---|---------------|------------|---------|---------|
| | Cedar Waxwing | Occasional | R | Migrant |

Finches (Fringillidae)

| √ | Common Name | Abundance | Habitat | Season |
|---|--------------------|------------|---------|----------|
| | House Finch | Uncommon | R, G, W | Resident |
| | Pine Siskin | Occasional | R | Migrant |
| | Lesser Goldfinch | Rare | R, G, W | Migrant |
| | American Goldfinch | Rare | R, G, W | Migrant |

New World Sparrows and Towhees (Passerellidae)

| √ | Common Name | Abundance | Habitat | Season |
|---|----------------------------|------------|---------|----------|
| | Cassin's Sparrow | Common | R, G, W | Summer |
| | Grasshopper Sparrow | Common | R, G, W | Summer |
| | Lark Sparrow | Common | R, G, W | Resident |
| | Lark Bunting | Uncommon | R, G, W | Migrant |
| | Chipping Sparrow | Uncommon | R, G, W | Migrant |
| | Clay-colored Sparrow | Rare | R, G, W | Migrant |
| | Brewer's Sparrow | Uncommon | G | Migrant |
| | White-crowned Sparrow | Uncommon | R, G, W | Migrant |
| | Vesper Sparrow | Rare | R, G, W | Migrant |
| | Lincoln's Sparrow | Rare | R, G, W | Migrant |
| | Spotted Towhee | Occasional | R. G | Migrant |

Blackbirds, Orioles, and Allies (Icteridae)

| √ | Common Name | Abundance | Habitat | Season |
|---|-------------------------|-----------|---------|----------|
| | Yellow-headed Blackbird | Rare | R, G | Migrant |
| | Western Meadowlark | Abundant | R, G, W | Resident |
| | Orchard Oriole | Uncommon | R, G, W | Summer |
| | Bullock's Oriole | Common | R, G, W | Summer |
| | Baltimore Oriole | Uncommon | R | Migrant |
| | Red-winged Blackbird | Common | R, G, W | Summer |
| | Brown-headed Cowbird | Uncommon | R, G, W | Summer |
| | Brewer's Blackbird | Rare | R, G, W | Migrant |
| | Common Grackle | Uncommon | R. G. W | Resident |

New World Warblers (Parulidae)

| √ | Common Name | Abundance | Habitat | Season |
|---|------------------------|------------|---------|---------|
| | Orange-crowned Warbler | Rare | R | Migrant |
| | Common Yellowthroat | Rare | R, W | Migrant |
| | American Redstart | Accidental | R | Migrant |
| | Yellow Warbler | Common | R | Summer |
| | Chestnut-sided Warbler | Accidental | R | Migrant |
| | Yellow-rumped Warbler | Uncommon | R | Migrant |
| | | | | |

Piranga Tanagers, Cardinals and Allies (Cardinalidae)

| √ | Common Name | Abundance | Habitat | Season |
|---|-----------------------|------------|---------|---------|
| | Western Tanager | Rare | R | Migrant |
| | Black-headed Grosbeak | Rare | R | Migrant |
| | Blue Grosbeak | Uncommon | R, G, W | Summer |
| | Indigo Bunting | Occasional | R, G, W | Migrant |
| | Dickcissel | Uncommon | R, G, W | Summer |



Sand Creek Massacre National Historic Site protects the area along Big Sandy Creek where a peaceful village of Cheyenne and Arapaho Indians, including Chief Black Kettle, was attacked in 1864 by approximately 700 members of the 1st and 3rd regiments, Colorado (U.S.) Volunteer Cavalry, led by Colonel John M. Chivington.

Big Sandy Creek, an intermittent tributary of the Arkansas River, flows diagonally across the historic site providing a strip of riparian vegetation within a mosaic of sand sagebrush shrubland and shortgrass prairie. The riparian habitat along Big Sandy Creek is relatively uncommon in the shortgrass prairie ecosystem, and provides important stopover habitat

for migratory bird species.

The best place to observe birds in the park is the visitor use area, where riparian species such as Red-headed Woodpecker, Northern Flicker, and Yellow Warbler are found in the cottonwood trees. Grassland and shrubland bird species like Western Meadowlark, Horned Lark, Burrowing Owl, Northern Harrier, and Dickcissel may sometimes be seen along the Monument Hill and Bluff Trails.



Great Blue Heron in the visitor use area

Acknowledgments

All bird identification photos, unless otherwise noted, were generously provided courtesy of Robert Shantz (rshantz.com).

The Southern Plains Inventory and Monitoring Network is one of 32 National Park Service inventory and monitoring networks that assess the condition of park ecosystems and develop a stronger scientific basis for stewardship of natural resources.

National Park Service U.S. Department of the Interior

Southern Plains Inventory & Monitoring Network Natural Resource Stewardship and Science



