Southern Plains Inventory & Monitoring Network Natural Resource Stewardship and Science



Washita Battlefield National Historic Monument Bird Checklist



EXPERIENCE YOUR AMERICATM

Washita Battlefield National Historic Site

preserves and protects the site of the Battle of the Washita when the 7th US Cavalry under Lt. Col. George A. Custer attacked the Southern Cheyenne village of Peace Chief Black Kettle along the Washita River on November 27, 1868. The historic site promotes public understanding of the attack and the importance of the diverse perspectives related to the struggles that transpired between the Southern Great Plains tribes and the US government. The site's natural landscape and cultural heritage are intertwined; both are managed to evoke a sense of place and reflect the setting of the Cheyenne encampment. The grasslands and river bottoms were home to native cultures, and the native flora and fauna were essential to the way of life for plains tribes.

The park's landscape contains a diversity of bird habitats ranging from the riparian area along the Washita River to grasslands and shrublands on the floodplain and uplands. At least 132 different species of birds have been documented in the historic site.

Walking the park's trail is the best way to view birds in the historic site. The 1.5-mile trail passes through grassland with sand sage and yucca before dropping down to the floodplain and the Washita River and then returning to the parking lot. Most of the wildlife that inhabit the Washita area are secretive in their activities. The most noticeable are birds.

In open areas along the trail, look for Bewick's Wren, Northern Mockingbird,



Cassin's Sparrow, meadowlarks, and kingbirds. Scissor-tailed Flycatchers are sometimes seen sitting on fence posts. American Kestrels, the smallest falcon in North America and about the size of Mourning Doves, can sometimes be seen fluttering above the grasslands hunting insects. Northern Harriers, with their distinctive white bands above the base of their tail, may also be seen flying low over the ground while looking and listening for prey.

Cottonwood trees, willows, and riparian shrubs and grasses along the Washita River provide some of the best bird habitat in Washita Battlefield NHS. Look for Red-bellied Woodpeckers, Northern Flickers, American Goldfinches, American Robins, Red-winged

Blackbirds, and Yellow-rumped Warblers near the river. Great Blue Herons, Ospreys, and Belted Kingfishers are also sometimes found in this area.

Turkey Vultures and Black Vultures are often seen soaring above the historic site. Turkey Vultures have red heads, are lighter in color on the trailing edge of the underside of their wings, and have a V-shaped flight profile. Black Vultures have black heads, silver wing tips, and a flat flight profile.



Birding Ethics

Be mindful by following ethical birding guidelines that protect birds and enhance everyone's birding experience:

- » Keep your distance and avoid disturbing bird nesting sites; move away from alarmed pairs.
- » Report bird observations to park rangers at the visitor center. This helps other birders and supports research.
- » Do not use broadcasting calls to attract birds; calls interfere with nesting activity and may frustrate other birders.
- » Report rare species nesting sites to appropriate park officials only. Use caution when posting bird sightings over social media.
- » Do not set up bird feeding stations or feed birds in national historic sites.



Checklist Key

Abundance

Abundance information is for suitable habitat and season.

- Common May be seen daily but not in large numbers
- Uncommon Likely to be seen monthly; may be locally common
- Rare Present, but usually seen only a few times each year
- Occasional Seen in the park at least once every few years, but not necessarily
 every year

Habitat

- R Riparian: Habitats along the Washita River dominated by cottonwoods and willows with riparian shrubs and grasses
- **G Grassland:** Grassland and upland habitats with mixed grass prairie, sand sage and other shrubs, and numerous forbs

Season

- Resident Found year-round
- Summer Found predominantly in the summer months (June–August)
- Winter Found predominantly in the winter months (November–February)
- Migrant Found predominantly during spring and/or fall migratory periods (March–May, September–October)

The information in this list is based on NPSpecies, Natural Resource Condition Assessments, and Southern Plains Inventory and Monitoring Network landbird monitoring surveys at Washita Battlefield NHS, and may not be a comprehensive list of all bird species in the historic site. The list is arranged by family and uses common names following the American Ornithological Society's Checklist of North American Birds 7th edition and its supplements through 2019.



Red-bellied Woodpeckers are common in Washita Battlefield NHS. (NPS PHOTO)

Front cover: Eastern Meadowlark (NPS PHOTO)

Previous page: Northern Harrier

4 Washita Battlefield National Historic Site

Checklist

Waterfowl (Anatidae)

√	Common Name	Abundance	Habitat	Season
	Black-bellied Whistling-Duck	Occasional	R	Resident
	Canada Goose	Rare	R, G	Migrant
	Wood Duck	Rare	R	Resident
	Blue-winged Teal	Rare	R	Migrant
	Mallard	Rare	R	Resident

New World Quail (Odontophoridae)

٧	Common Name	Abundance	Habitat	Season
	Northern Bobwhite	Common	R, G	Resident

Partridges, Grouse, Turkeys, and Old World Quail (Phasianidae)

√	Common Name	Abundance	Habitat	Season
	Ring-necked Pheasant	Rare	R, G	Resident
	Wild Turkey	Uncommon	R, G	Resident

Pigeons and Doves (Columbidae)

√ Common Name	Abundance	Habitat	Season
Rock Pigeon	Rare	G	Resident
Eurasian Collared-D	Oove Rare	R, G	Resident
White-winged Dov	e Rare	R	Resident
Mourning Dove	Common	R, G	Resident

Cuckoos and Roadrunners (Cuculidae)

√	Common Name	Abundance	Habitat	Season
	Greater Roadrunner	Rare	R, G	Resident
	Yellow-billed Cuckoo	Uncommon	R	Summer

Nighthawks (Caprimulgidae)

√	Common Name	Abundance	Habitat	Season
	Common Nighthawk	Uncommon	R, G	Summer

Swifts (Apodidae)

√	Common Name	Abundance	Habitat	Season
	Chimney Swift	Rare	R, G	Migrant

Hummingbirds (Trochilidae)

√	Common Name	Abundance	Habitat	Season
	Ruby-throated Hummingbird	Rare	R, G	Migrant
	Black-chinned Hummingbird	Rare	R, G	Migrant



Black-chinned Hummingbird



Sandhill Crane



Great Blue Heron



Turkey Vulture



Mississippi Kite



Rails, Gallinules, and Coots (Rallidae)

√	Common Name	Abundance	Habitat	Season
	American Coot	Common	R	Resident

Crane (Gruidae)

√	Common Name	Abundance	Habitat	Season
	Sandhill Crane	Occasional	R, G	Migrant

Plovers (Charadriidae)

√	Common Name	Abundance	Habitat	Season
	Killdeer	Uncommon	RG	Resident

Sandpipers, Phalaropes, and Allies (Scolopacidae)

√	Common Name	Abundance	Habitat	Season
	Upland Sandpiper	Occasional	R, G	Migrant
	Long-billed Curlew	Occasional	G	Migrant
	Spotted Sandpiper	Rare	R	Migrant
	Greater Yellowlegs	Rare	R	Migrant

Bitterns, Herons, and Allies (Ardeidae)

_√	Common Name	Abundance	Habitat	Season
	Great Blue Heron	Rare	R, G	Resident
	Great Egret	Rare	R, G	Migrant
	Cattle Egret	Rare	R, G	Migrant
	Green Heron	Rare	R	Migrant

New World Vultures (Cathartidae)

√	Common Name	Abundance	Habitat	Season
	Black Vulture	Uncommon	R, G	Resident
	Turkey Vulture	Uncommon	R, G	Migrant

Ospreys (Pandionidae)

√	Common Name	Abundance	Habitat	Season
	Osprey	Occasional	R	Migrant

Hawks, Kites, Eagles and Allies (Accipitridae)

٧	Common Name	Abundance	Habitat	Season
	Golden Eagle	Occasional	R, G	Migrant
	Northern Harrier	Uncommon	G	Winter
	Sharp-shinned Hawk	Rare	R, G	Migrant
	Bald Eagle	Occasional	R	Migrant
	Cooper's Hawk	Common	R, G	Resident
	Mississippi Kite	Uncommon	R, G	Summer
	Red-shouldered Hawk	Rare	R	Resident
	Swainson's Hawk	Uncommon	R, G	Summer
	Red-tailed Hawk	Uncommon	R, G	Resident

Typical	Owls	(Striai	dae'

√ Common Name		Abundance	Habitat	Season
Great Horne	d Owl	Rare	R, G	Resident
Barred Owl		Rare	R	Resident
Short-eared	Owl	Occasional	G	Migrant

Kingfishers (Alcedinidae)

√	Common Name	Abundance	Habitat	Season
	Belted Kingfisher	Rare	R	Summer

Woodpeckers and Allies (Picidae)

√	Common Name	Abundance	Habitat	Season
	Red-headed Woodpecker	Rare	R	Resident
	Red-bellied Woodpecker	Common	R, G	Resident
	Downy Woodpecker	Uncommon	R, G	Resident
	Ladder-backed Woodpecker	Rare	R	Resident
	Hairy Woodpecker	Rare	R	Resident
	Northern Flicker	Common	R, G	Resident
	Pileated Woodpecker	Occasional	R	Resident

Falcons (Falconidae)

√	Common Name	Abundance	Habitat	Season
	American Kestrel	Rare	R, G	Resident

Tyrant Flycatchers (Tyrannidae)

√	Common Name	Abundance	Habitat	Season
	Ash-throated Flycatcher	Rare	R	Migrant
	Great Crested Flycatcher	Uncommon	R, G	Summer
	Western Kingbird	Uncommon	R, G	Summer
	Eastern Kingbird	Rare	R, G	Summer
	Scissor-tailed Flycatcher	Common	R, G	Summer
	Olive-sided Flycatcher	Rare	R	Migrant
	Least Flycatcher	Rare	R	Migrant
	Eastern Phoebe	Uncommon	R	Resident

Shrikes (Laniidae)

√	Common Name	Abundance	Habitat	Season
	Loggerhead Shrike	Rare	G	Resident



Ash-throated Flycatcher





American Crow



Horned Lark



Barn Swallow



House Wren



Bewick's Wren



Ruby-crowned Kinglet

Vireos (Vireonidae)

√	Common Name	Abundance	Habitat	Season
	White-eyed Vireo	Rare	R	Summer
	Bell's Vireo	Uncommon	R	Summer
	Yellow-throated Vireo	Rare	R	Migrant
	Warbling Vireo	Rare	R	Migrant
	Red-eyed Vireo	Rare	R	Migrant

Crows, Jays and Ravens (Corvidae)

√	Common Name	Abundance	Habitat	Season
	Blue Jay	Rare	R, G	Resident
	American Crow	Common	R, G	Resident

Larks (Alaudidae)

√	Common Name	Abundance	Habitat	Season
	Horned Lark	Rare	G	Winter

Swallows (Hirundinidae)

-√	Common Name	Abundance	Habitat	Season
	Bank Swallow	Rare	R, G	Migrant
	Tree Swallow	Uncommon	R, G	Migrant
	Northern Rough-winged Swallow	Rare	R, G	Summer
	Purple Martin	Rare	R, G	Migrant
	Barn Swallow	Common	R, G	Summer
	Cliff Swallow	Uncommon	R, G	Summer

Chickadees and Titmice (Paridae)

√	Common Name	Abundance	Habitat	Season
	Carolina Chickadee	Common	R, G	Resident
	Tufted Titmouse	Uncommon	R, G	Resident

Wrens (Troglodytidae)

√	Common Name	Abundance	Habitat	Season
	House Wren	Uncommon	R, G	Resident
	Sedge Wren	Rare	R, G	Migrant
	Carolina Wren	Common	R, G	Resident
	Bewick's Wren	Uncommon	R. G	Resident

Gnatcatchers (Polioptilidae)

√	Common Name	Abundance	Habitat	Season
	Blue-gray Gnatcatcher	Uncommon	R, G	Summer

Kinglets (Regulidae)

√	Common Name	Abundance	Habitat	Season
	Ruby-crowned Kinglet	Uncommon	R	Migrant

Thrushes (Turdidae)

_1	Common Name	Abundance	Habitat	Season
	Eastern Bluebird	Uncommon	R, G	Resident
	American Robin	Common	R. G	Resident

Mockingbirds and Thrashers (Mimidae)

_√	Common Name	Abundance	Habitat	Season
	Brown Thrasher	Rare	R, G	Resident
	Northern Mockingbird	Common	R, G	Resident

Starlings (Sturnidae)

√	Common Name	Abundance	Habitat	Season
	European Starling	Common	R, G	Resident

Waxwings (Bombycillidae)

√	Common Name	Abundance	Habitat	Season
	Cedar Waxwing	Rare	R, G	Winter

Old World Sparrows (Passeridae)

√	Common Name	Abundance	Habitat	Season
	House Sparrow	Rare	G	Resident

Finches (Fringillidae)

_√	Common Name	Abundance	Habitat	Season
	House Finch	Rare	R, G	Resident
	Pine Siskin	Rare	R	Winter
	Lesser Goldfinch	Occasional	R, G	Migrant
	American Goldfinch	Common	R, G	Resident

New World Sparrows and Towhees (Passerellidae)

	•	•		•
√	Common Name	Abundance	Habitat	Season
	Cassin's Sparrow	Common	R, G	Summer
	Grasshopper Sparrow	Common	G	Summer
	Lark Sparrow	Uncommon	R, G	Resident
	Lark Bunting	Rare	G	Summer
	Chipping Sparrow	Rare	R, G	Migrant
	Clay-colored Sparrow	Uncommon	R, G	Migrant
	Field Sparrow	Common	G	Resident
	American Tree Sparrow	Occasional	R, G	Winter
	Dark-eyed Junco	Uncommon	R, G	Winter
	White-crowned Sparrow	Uncommon	R, G	Migrant
	Harris's Sparrow	Rare	R, G	Migrant
	White-throated Sparrow	Rare	R, G	Migrant
	Vesper Sparrow	Uncommon	G	Winter
	LeConte's Sparrow	Occasional	G	Migrant



Northern Mockingbird



Cedar Waxwing



House Finch



Lark Sparrow




Chipping Sparrow



White-crowned Sparrow



Western Meadowlark



Red-winged Blackbird



Yellow-rumped Warbler



Northern Cardinal



Blue Grosbeak



Dickeisser

√	Common Name	Abundance	Habitat	Season
	Savannah Sparrow	Rare	R, G	Migrant
	Song Sparrow	Rare	R	Migrant
	Lincoln's Sparrow	Rare	R, G	Migrant
	Spotted Towhee	Occasional	R, G	Migrant

Yellow-breasted Chat (Icteriidae)

√	Common Name	Abundance	Habitat	Season
	Yellow-breasted Chat	Rare	R	Summer

Blackbirds, Orioles, and Allies (Icteridae)


√	Common Name	Abundance	Habitat	Season
	Yellow-headed Blackbird	Rare	R, G	Migrant
	Bobolink	Rare	G	Migrant
	Eastern Meadowlark	Common	R, G	Resident
	Western Meadowlark	Uncommon	G	Resident
	Orchard Oriole	Rare	R	Summer
	Bullock's Oriole	Rare	R, G	Summer
	Red-winged Blackbird	Common	R, G	Resident
	Brown-headed Cowbird	Common	R, G	Resident
	Brewer's Blackbird	Uncommon	R, G	Winter
	Common Grackle	Common	R, G	Resident
	Great-tailed Grackle	Common	R, G	Resident

New World Warblers (Parulidae)

√	Common Name	Abundance	Habitat	Season
	Northern Waterthrush	Rare	R	Migrant
	Orange-crowned Warbler	Rare	R	Migrant
	Nashville Warbler	Rare	R	Migrant
	Common Yellowthroat	Rare	R, G	Summer
	Yellow Warbler	Rare	R	Migrant
	Yellow-rumped Warbler	Uncommon	R, G	Migrant

Piranga Tanagers, Cardinals and Allies (Cardinalidae)

√	Common Name	Abundance	Habitat	Season
	Summer Tanager	Rare	R	Migrant
	Northern Cardinal	Common	R, G	Resident
	Blue Grosbeak	Uncommon	R, G	Summer
	Indigo Bunting	Rare	R, G	Summer
	Painted Bunting	Common	R, G	Summer
	Dickcissel	Common	R, G	Summer





Acknowledgments

All bird identification photos, unless otherwise credited, were generously provided courtesy of Robert Shantz (rshantz.com).

The Southern Plains Inventory and Monitoring Network (https://www.nps.gov/im/sopn/) is one of 32 National Park Service inventory and monitoring networks that assess the condition of park ecosystems and develop a stronger scientific basis for stewardship of natural resources.

Rear cover: Northern Harrier (NPS PHOTO)

National Park Service U.S. Department of the Interior

Southern Plains Inventory & Monitoring Network Natural Resource Stewardship and Science



